



Llywodraeth Cymru  
Welsh Government

**Number: WG45873**

Welsh Government  
Consultation Document

# Responding to people bereaved, exposed, or affected by suicide.

Guidance for providers of specialised bereavement support services,  
and those who come into contact with people impacted by a sudden or  
unexplained death that could be a possible suicide.

Date of issue: 28<sup>th</sup> October 2022

Action required: Responses by 20<sup>th</sup> January 2023

Mae'r ddogfen hon ar gael yn Gymraeg hefyd /  
This document is also available in Welsh

**OGL** © Crown Copyright

## Overview

This consultation seeks your view on the draft guidance on how we respond to those exposed, affected or bereaved by a suspected suicide in Wales.

## How to respond

Please provide your responses to the consultation by 20<sup>th</sup> January 2023 in any of the following ways:

- Complete our [online form](#)
- Download and complete our response form and email this to:

[MentalHealthandVulnerableGroups@gov.wales](mailto:MentalHealthandVulnerableGroups@gov.wales)

- Download and complete our response form and post to:

Mental Health and Vulnerable Groups Team  
Welsh Government  
4<sup>th</sup> Floor Cathays Park  
Cardiff  
CF10 3NQ

**Further information  
and related  
documents**

**Large print, Braille and alternative language  
versions of this document are available on  
request.**

The website for the consultation is:

<https://gov.wales/draft-guidance-responding-people-affected-suicide>

**Contact details**

For further information:

Mental Health and Vulnerable Groups Team  
Welsh Government  
4<sup>th</sup> Floor Cathays Park  
Cardiff  
CF10 3NQ

Email: [MentalHealthandVulnerableGroups@gov.wales](mailto:MentalHealthandVulnerableGroups@gov.wales)

Telephone: 0300 060 4400

**Also available in  
Welsh at:**

<https://llyw.cymru/canllawiau-drafft-ar-ymateb-i-bobl-y-mae-hunanladdiad-wedi-effeithio-arnynt>

## UK General Data Protection Regulation (UK GDPR)

The Welsh Government will be data controller for any personal data you provide as part of your response to the consultation. Welsh Ministers have statutory powers they will rely on to process this personal data which will enable them to make informed decisions about how they exercise their public functions. Any response you send us will be seen in full by Welsh Government staff dealing with the issues which this consultation is about or planning future consultations. Where the Welsh Government undertakes further analysis of consultation responses then this work may be commissioned to be carried out by an accredited third party (e.g., a research organisation or a consultancy company). Any such work will only be undertaken under contract. Welsh Government's standard terms and conditions for such contracts set out strict requirements for the processing and safekeeping of personal data.

In order to show that the consultation was carried out properly, the Welsh Government intends to publish a summary of the responses to this document. We may also publish responses in full. Normally, the name and address (or part of the address) of the person or organisation who sent the response are published with the response. If you do not want your name or address published, please tell us this in writing when you send your response. We will then redact them before publishing.

You should also be aware of our responsibilities under Freedom of Information legislation

If your details are published as part of the consultation response, then these published reports will be retained indefinitely. Any of your data held otherwise by Welsh Government will be kept for no more than three years.

### Your rights

Under the data protection legislation, you have the right:

- to be informed of the personal data held about you and to access it
- to require us to rectify inaccuracies in that data
- to (in certain circumstances) object to or restrict processing
- for (in certain circumstances) your data to be 'erased'
- to (in certain circumstances) data portability
- to lodge a complaint with the Information Commissioner's Office (ICO) who is our independent regulator for data protection.

For further details about the information the Welsh Government holds and its use, or if you want to exercise your rights under the UK GDPR, please see contact details below:

Data Protection Officer:  
Welsh Government  
Cathays Park  
CARDIFF  
CF10 3NQ  
e-mail:  
[Data.ProtectionOfficer@gov.wales](mailto:Data.ProtectionOfficer@gov.wales)

The contact details for the Information Commissioner's Office are:

Wycliffe House  
Water Lane  
Wilmslow  
Cheshire SK9 5AF  
Tel: 01625 545 745 or  
0303 123 1113  
Website: <https://ico.org.uk/>

# **Contents**

**Ministerial foreword**

**Foreword by those bereaved by suicide**

**Quick guide: ‘touch-points’ along a bereavement journey**

**Summary**

**Introduction**

**Terminology and language**

**Advice within other UK guidance documents**

**Understanding the needs and experiences of people in Wales**

Finding out that someone close to you has died by suicide

Practical support early on

Support for those directly impacted by a suicide who are not immediate family

Challenges around the inquest

Psychological, counselling or ‘talking’ therapies and services

Response to the ‘Help is at Hand Cymru’ resource

**Delivering a compassionate system-wide response**

Overview

Key Principles

Understanding compassion

Understanding trauma-informed approaches

Acting in a trauma-informed way

## **Providing proactive offers of support through a specialist advisory and liaison service**

Components of an immediate response

Developing a consistent offer across Wales

Expectations set out in the National Bereavement Framework for Wales

Additional benefits of a 'Once for Wales' approach

## **Developing a consistently compassionate response through the 'touch-point' agencies and the wider community**

What agencies at the different 'touch-points' can do

Agencies at the first point of contact

Agencies involved in the inquest

Agencies accessed for additional support

## **Other considerations for ensuring a compassionate response**

Ensuring equitable access to support

Workforce development

Communication, accessible information, and digital platforms

## **Knowing when we're responding in the right way**

At a population level

For individuals, families, and groups

## **Appendices**

Glossary

Bereavement Liaison Officer generic job description

Levels of exposure for different groups

## Ministerial Foreword

To be provided following wider consultation.

## Foreword from those with lived experience

To be provided following wider consultation.

# Responding to people bereaved, exposed, or affected by suicide

## Purpose of the guidance

This guidance aims to set out what a sustainably resourced, quality response would look like and how that needs to be delivered to ensure equitable access. The guidance has been produced through the collaborative efforts of the individuals and agencies best placed to act on it.

## Audiences

- i) Agencies and service providers who support people living with bereavement following a sudden or unexplained death that could be a possible suicide.
- ii) Those who come into contact with people who are on their bereavement journey, or who have been exposed or affected by a possible suicide.
- iii) Planners and commissioners of services that support people bereaved by possible suicide.

## Overview

This guidance is informed by insights into the needs and experiences of people living with bereavement by suicide in Wales, following a listening exercise that explored the points in their bereavement journey when they interface with a range of statutory and voluntary services (herein referred to as 'touch points'). The guidance outlines how we can provide a more compassionate response, offering both practical and emotional support, at the different steps on that journey.

The information within this guidance relates to insights into the experiences of adults. Further work is required to determine the needs of children and young people (under 25), who bear a significant bereavement burden, including potential trauma, from deaths by suicide, and how we meet their needs consistently across Wales.

## Action required

All providers of specialist bereavement services, or agencies who deliver at significant 'touch points' on a bereavement journey following a sudden or unexplained death that could be a possible suicide, to use the guidance to identify

aspects of their service that can be improved or developed to achieve the most compassionate and helpful response to those impacted.

Commissioners and planners of services across regions to use the guidance to ensure that the different components of support that meet the needs of those affected by a suspected suicide are in place and sustainable. This will require collaborative working across public and third sectors, through safeguarding mechanisms, Regional Partnership Boards (RPBs) and other funded alliances.

### [Links to a national suicide \(suspected\) real-time surveillance \(RTS\) system for Wales](#)

Alongside the development of this bereavement guidance, partner agencies across Wales have developed a [real time, or a 'more timely' surveillance system for suspected suicides](#), as initially recorded by police officers attending a sudden death.

The RTS system will enable agencies involved in immediate or rapid response work, following sudden or unexplained deaths or suspected suicides, to connect those immediately impacted to a range of support offers, helplines, and resources at the earliest appropriate opportunity. The support offers, helplines and resources will be available in Welsh and English.

### [Links to the National Framework for the delivery of bereavement care in Wales](#)

A [national framework for the delivery of bereavement care in Wales](#) was published in October 2021. The guiding vision is for a compassionate Wales where everyone has equitable access to high quality bereavement care and support to meet their needs effectively when they need it. The framework sets the standard, and acts as a catalyst to drive improvements in quality, provision, and availability of bereavement support across Wales.

### [Key Policy documents](#)

Talk to me 2 – suicide and self-harm prevention strategy 2015-2022.

<https://gov.wales/suicide-and-self-harm-prevention-strategy-2015-2020>

Everybody's Business: a report on suicide prevention in Wales, National Assembly for Wales, Health, Social Care and Sport Committee, December 2018.

<https://senedd.wales/laid%20documents/cr-ld11947/cr-ld11947-e.pdf>

## Ownership and Governance

Suicide and self-harm prevention is a strategic priority for Welsh Government and the Deputy Minister for Mental Health and Wellbeing has portfolio responsibility . Strategy development and policy is managed through the Mental Health and Vulnerable Groups Policy Team, based in the devolved Department of Health and Social Care, Welsh Government.

Programme Management for strategy implementation is commissioned from the NHS Wales Health Collaborative, steered by a cross-government suicide prevention group Chaired by Welsh Government policy officials, and advised by the multi-agency Public Health Wales National Advisory Group for suicide and self-harm prevention.

Performance against strategic objectives is reported to the Together for Mental Health Ministerial Delivery and Oversight Board chaired by the Deputy Minister.

In the context of the Senedd report on suicide prevention 'Everybody's Business', responsibility for suicide and self-harm prevention transcends sector, organisational and geographical boundaries. It is incumbent on all organisations to take steps to equip and upskill their workers and volunteers so that they can make an informed and compassionate response to issues relating to suicide and self-harm, and to reach out to all those affected without judgement or stigma.

## Acknowledgements

- People with lived experience in Wales

This guidance has been informed by the invaluable insights provided by people living with bereavement by suicide in Wales. Gratitude is extended to everyone who shared their personal journey to inform how we shape our response.

- Agencies supporting the listening exercise

CRUSE Bereavement Support, Cymru

PAPYRUS - Prevention of Young Suicide, Wales

To Wish, Gwent

Jacob Abraham Foundation, South Wales

Enfys Alice, North Wales

LISS (Living in Suicides Shadow), West Wales

SOBS (Survivors of Bereavement by Suicide)

#LetsTalkMensMentalHealth, Welsh Valleys

Powys Teaching Health Board

MIND (Aberystwyth, Pembrokeshire, Llanelli)

The DPJ Foundation

- National task and finish group to shape the guidance and its implementation:

Police Liaison Unit, Welsh Government

Mental Health Lead, South Wales Fire and Rescue Services

Consultant Mental Health Nurse, Wales Ambulance Service (WAST)

Consultant Child Psychiatrist Aneurin Bevan University Health Board, and Advisor to Welsh Government on Child Mental Health

Public Health Practitioner, Healthy Working Wales, Public Health Wales

Programme Manager, Compassionate Cymru

Director, CRUSE Bereavement Support, Cymru

Head in Wales, PAPYRUS, Prevention of Young Suicide

Director, Samaritans Cymru

Founder and Project Manager, Jacob Abraham Foundation

SPEAK Project Manager, Cwm Taf Morgannwg MIND

Director for Primary Care, Aneurin Bevan University Health Board

HM Assistant Coroner, South Wales Central Coroner's Office

Senior Coroners Officer, South Wales Central Coroner's Office

Care after death Service Manager, Swansea Bay Health Board

Executive Director, and active Funeral Director in Wales, The National Society of Allied and Independent Funeral Directors (SAIF)

Suicide Bereavement Project Lead, Powys Teaching Health Board

Pathway Lead for Traumatic Stress, Traumatic Stress Wales

University Chaplain and Faith and Community Manager, Student Services, Swansea University

Bereavement Hub Manager, Support After Suicide Partnership (SASP)

National and regional coordination team for suicide and self-harm prevention in Wales, funded by Welsh Government to support strategy implementation

## Bereavement journey 'touch points'


Statutory agencies experienced by people close to someone who has died suddenly by possible suicide.



Other agencies who contributed to the individual bereavement journeys of people living with bereavement by possible suicide in Wales.



# Quick guide to accessing a specialist advisory and liaison service following a sudden unexpected death that could be suicide



## Summary

This guidance sets out an optimal system-wide response that delivers an early proactive and evidence-based offer of support, and subsequent recurring offers of support, that includes:

### A specialist advisory and liaison service

An agency or service that receives referrals from those who come into early contact with those impacted by a possible suicide and makes a proactive offer of support to those exposed, affected, or bereaved. This service, that will be engaged with other services across the system, would also respond to those who contact the agency independently seeking help at any point in their bereavement journey.

The offer will involve a conversation to discuss immediate and longer-term needs, and to identify the most suitable sources of both practical and emotional support, working alongside the bereaved, and those around them who are also affected.

The service will be staffed with experienced and skilled paid workers (see appendices for a sample role descriptor), who understand all aspects of the processes associated with an unexpected and unexplained death that could be a possible suicide and is accessible to people affected by a suspected suicide as soon after the death as is practical, within the first 72 hours.

### A compassionate response from agencies that feature on the bereavement journey

A range of 'touch point' agencies who consistently feature on bereavement journeys following a sudden or unexplained death including possible suicide, whose staff understand the challenges that people face on those journeys, and who respond to them compassionately, and link them to the specialist advisory and liaison service and other local support agencies, ensuring that consistent offers of support are made recurrently.

### Wider provision

A range of agencies across Wales who already provide bereavement support, including support for those affected by a sudden unexplained death that could be a

possible suicide. Different services, often provided by third sector agencies, are available in different areas, and across regional boundaries. Many of these are already accessible through recommendation or referral, and information about these support services will be key to the signposting offered by the national advisory and liaison service.

These wider services include telephone helplines, peer support groups, counselling support, family group-work or therapy, and longer-term support and follow-up.

Local planners, commissioners and providers of health and care services who will work collaboratively to ensure that a sufficient range of this wider provision is available to support their local citizens, particularly those who find it difficult to access support due to rural isolation, challenges around mobility or transport, caring responsibilities, digital exclusion, and other, potentially changeable barriers.

### [‘Help is at Hand Cymru’ resource](#)

This comprehensive resource, available in Welsh and English, is considered valuable by both the bereaved, and the agencies with whom they come into contact, and it will be updated and made available in different formats, including digital, so that it is readily available through different means and sources to increase its use and relevance for all ages and communities.

### [Workforce Development](#)

As set out in the Health, Social Care and Sport Committee’s report on suicide prevention (2018) ‘Everybody’s Business’<sup>1</sup>.

Calls to action transcend geographical and organisational boundaries, requiring all sectors to recognise their part in fostering a compassionate Wales, recognising when others may need help, and being kind to one another.

The needs of people who are bereaved, exposed, or affected by a sudden or unexplained death, that could be a possible suicide, must be more widely understood, and people need to feel confident, and capable of responding to those needs, or in helping those affected to find the right help. Training and development

---

<sup>1</sup> <https://senedd.wales/laid%20documents/cr-ld11947/cr-ld11947-e.pdf>

programmes across sectors need to identify opportunities to learn about bereavement by suicide, the needs of those impacted, and the importance of postvention.

## Introduction

Of the six objectives set out in the 'Talk to Me 2' strategy for suicide and self-harm prevention in Wales, the third asks us to provide information and support for those bereaved or affected by suicide and self-harm<sup>2</sup>.

Providing support for those bereaved by suicide is both postvention and prevention. Research suggests that for each person who dies, between 6 and 135 other people could be exposed, affected, or bereaved and requiring support<sup>3</sup>. Those who have lost someone through suicide are also at increased risk of suicide themselves<sup>4</sup>. Too often people with lived experience say they have not felt supported at the very time they most needed it.

From the most recently published data<sup>5</sup>, we know that the number of deaths registered as suicide in Wales can range between 247 - 393 a year (e.g., in 2019, 330 registered deaths by suicide in Wales were reported by the Office for National Statistics (ONS)<sup>6</sup>, compared to 95 deaths recorded because of a road traffic accident<sup>7</sup>). If, for each of those deaths between 6 and 135 people are affected, there are potentially between 1,482 - 2,358, and 40,500 - 47,250 people processing their shock, grief and loss following a suicide every year, in addition to those for whom the grief endures.

A range of agencies provide suicide bereavement support in Wales, nearly half of which are funded by registered charities<sup>8</sup>. Several organisations provide timely and high-quality support to people experiencing loss through suicide, but not enough is consistently available across Wales.

---

<sup>2</sup> <https://gov.wales/suicide-and-self-harm-prevention-strategy-2015-2020>

<sup>3</sup> <https://pubmed.ncbi.nlm.nih.gov/29512876/>

<sup>4</sup> <https://bmjopen.bmj.com/content/6/1/e009948>

<sup>5</sup> [Suicides in England and Wales Statistical bulletins - Office for National Statistics \(ons.gov.uk\)](https://ons.gov.uk)

<sup>6</sup> <https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/bulletins/suicidesintheunitedkingdom/2019registrations#suicides-in-england-and-wales>

<sup>7</sup> <https://gov.wales/police-recorded-road-accidents-2019-html>

<sup>8</sup> <https://gov.wales/sites/default/files/publications/2019-12/scoping-survey-of-bereavement-services-in-wales-report.pdf>

The Health, Social Care and Sport Committee report into suicide prevention 'Everybody's Business'<sup>9</sup> (2018), recommends the development and implementation of a 'Wales-wide postvention strategy for suicide', suggesting that this 'should be taken forward as an immediate priority'. At the Senedd Cymru Plenary on 22<sup>nd</sup> January 2020<sup>10</sup> (item 6) members further discussed the urgency of developing a better postvention response in Wales.

So, what would a good level of service look like, particularly in a COVID altered environment, and how could we establish that consistently across Wales? How will we know that we are doing this successfully?

---

<sup>9</sup> <https://senedd.wales/laid%20documents/cr-ld11947/cr-ld11947-e.pdf>

<sup>10</sup> <https://record.assembly.wales/Plenary/6076#C258995>

## Terminology and language

Throughout the process of developing this guidance, partner agencies have regularly convened and discussed the many complex aspects of the impacts of unexpected deaths such as those where people may have died by suicide, and where the cause is not always known or clear, leading to an inquest.

Armed with insights from those with direct experience, both from those bereaved, and those working in the key agencies who are inevitably involved in events following a suicide, recognition of the many ambiguities and uncertainties around suicide has seemed increasingly important.

It was agreed that the following assumptions could be unhelpful when offering support:

- That a sudden or unexplained death is a suicide or will be confirmed as a suicide at inquest. It is not always helpful to refer to a death as a suicide, even if recorded as a suspected suicide by the police, if it has not been fully investigated through the coroner's office, with a judicial verdict confirming death by suicide (though inquest outcomes do not always confirm or reflect what families think or understand to be the cause).
- That the people affected by an unexplained sudden death acknowledge the possibility that it might be a suicide or feel able to accept suicide as a possible cause. This requires sensitivity and caution when support agencies first contact individuals outlining the nature of their services, and offering support for their sudden loss, recognising that the individuals affected should be able to choose the type of support they feel would best suit them, according to their felt needs.
- While many people will have lost someone they love very much, others will have lost someone with whom they may have had a remote or difficult relationship. This can often make the subsequent loss and grieving process more complex, particularly amongst families or groups where the nature of the relationships with the person who has died differ from person to person.
- That the people affected by a death will welcome the offer of bereavement support (though some people living with bereavement by suicide say that they wished someone had proactively reached out to them with this kind of help,

feeling unable to be proactive themselves, when they were at their most vulnerable).

- That there might be any consistency in the duration or timeframe regarding the processes that follow an unexplained sudden death, that might be a suicide.

The ambiguities and uncertainties of both the official processes that follow a possible suicide, and the varied nature and complexity of the trauma and grief that is experienced by all those exposed, affected, or bereaved, sets the tone for the nature of the support that people need. This has led to the decision to talk about those bereaved, affected or exposed to a sudden and unexplained death, that might be a possible suicide, rather than the shorthand 'suicide bereavement' (unless references are being made within this document to guidance or documents relating to coroner confirmed suicide deaths).

The experiences and needs of each individual, their immediate contacts, and the wider community, need to be explored on a one-by-one, step-by-step basis, and revisited regularly over an indefinite timeframe, by a range of agencies. Immediate solutions or remedies will not necessarily be available to professionals, however experienced or well qualified, and being able to accept this and offer a compassionate and human response, with the commitment to come 'alongside' people on their unpredictable journeys, may provide much of the comfort that is needed.

## Advice within other UK guidance documents

There are guidance documents and studies available in the UK that provide helpful direction regarding the components of an effective service response to bereavement following a possible suicide, often referred to as postvention. These documents have influenced both the process of guidance development for Wales, and the recommendations within it.

### National Institute for Health and Care Excellence (NICE) Guidance

The NICE suicide prevention quality standard [QS189], published September 2019, advises that people bereaved or affected by a suspected suicide are given information and offered tailored support.

The essential elements of a quality response, set out by NICE, is that people affected are:

- offered information
- asked if they need additional help
- signposted to support if needed

This should occur as soon as possible and at other opportunities to ensure support is offered when the people affected need it<sup>11</sup>.

NICE also provides guidance for suicide prevention partnerships on supporting people bereaved by suicide in guideline [NG105] preventing suicide in community and custodial settings (Sept 2018)<sup>12</sup>.

This suggests that partnerships also consider:

- Providing support from trained peers who have been bereaved or affected by suicide or suspected suicide.
- Whether any adjustments are needed to working patterns or the regime in residential custodial and detention settings.

---

<sup>11</sup> <https://www.nice.org.uk/guidance/qs189/chapter/quality-statement-5-supporting-people-bereaved-or-affected-by-a-suspected-suicide#quality-measures-5>

<sup>12</sup> <https://www.nice.org.uk/guidance/ng105/chapter/Recommendations#supporting-people-bereaved-or-affected-by-a-suspected-suicide>

## Public Health England (PHE) and the National Suicide Prevention Alliance (NSPA)

Guidance published by the National Suicide Prevention Alliance (NSPA), working with Public Health England (2016) sets out the following 10 stages for the development of local bereavement support services<sup>13</sup>:

- Understand your local context, community, and perceived needs
- Galvanise the stakeholder community (including accountability)
- Create a vision of what good support would look like
- Define the service
- Develop the service and plan delivery
- Develop evaluation process
- Consider piloting the service
- Review the service
- Extend the service
- Take stock

## Health Education England (HEE), National Collaborating Centre for Mental Health (NCCMH) and the University of Central England (UCL) competency frameworks

Supporting people who are bereaved by suicide requires a particular kind of understanding and skill set, for which many provider agencies will have training for their staff. In October 2018, Health Education England (HEE), the National Collaborating Centre for Mental Health (NCCMH), and the University of Central London (UCL) produced a suite of competency frameworks for suicide and self-harm

---

<sup>13</sup> [https://suicidbereavementuk.com/wp-content/uploads/2020/09/NSPA\\_Developing-Delivering-Local-Bereavement-Support-Services.pdf](https://suicidbereavementuk.com/wp-content/uploads/2020/09/NSPA_Developing-Delivering-Local-Bereavement-Support-Services.pdf)

prevention<sup>14</sup>. This guidance presents the specific competences required to support people bereaved by suicide<sup>15</sup> including:

- understanding the aims of postvention
- knowledge of bereavement
- knowledge about the nature of bereavement after a death by suicide
- psychological support
- peer support groups
- organisational competences relevant to postvention

The framework also describes the competences relating to the support of people within organisations after a suicide (such as a school, college, healthcare organisation or workplace), including:

- knowledge of postvention
- instituting postvention
- communicating information about the death
- interventions
- judging when to end postvention

## Support After Suicide Partnership (SASP) and University of Manchester

In 2020, SASP and the University of Manchester published the report 'From Grief to Hope: the collective voice of those bereaved or affected by suicide in the UK', which included 350 participants from Wales. The report looked particularly at the impact on individuals, and their experiences of accessing support. Findings from an anonymised survey, involving over 7,150 people affected by suicide either personally or professionally, include:

- 82% reported that the suicide had a major or moderate impact on their lives.
- 38% of 5,056 respondents had considered suicide themselves, and 8% had made a suicide attempt.

---

<sup>14</sup> <https://www.ucl.ac.uk/pals/research/clinical-educational-and-health-psychology/research-groups/core/competence-frameworks/self>

<sup>15</sup> <https://www.ucl.ac.uk/clinical-psychology/competency-maps/self-harm/adult-framework/Postvention/Postvention.pdf>

- The most common relationship reported was the loss of a friend, and those who had lost a friend were more likely to have experienced multiple suicides.
- Of 7,158 responses, 60% did not access support following a suicide, and of 4,621 responses 62% perceived local suicide bereavement support to be inadequate
- After initial contact with agencies, participants indicated that support should be available with a specialist suicide bereavement support worker.

The report makes a series of recommendations for a national response to bereavement:

- the implementation of national standards
- a national on-line resource
- a campaign to raise awareness of the impact of suicide bereavement
- suicide bereavement training for front line staff
- support for people with risk taking behaviours
- workplace suicide bereavement support
- further research on the impact of suicide

## Understanding the needs and experiences of people in Wales

In the Spring of 2021, a 'listening exercise' was commissioned, to engage with people living with bereavement by suicide in Wales<sup>16</sup>.

With the help of key support agencies, individuals came forward to help us to understand their bereavement journeys. They told us what had happened to them after the death, who they met, where those 'touch-points' or agencies had shown compassion and helped them along that journey, and where and when their experience was not good, making their bereavement journey more complicated, difficult, and distressing. As the number of participants was relatively small, their experiences do not represent those of everyone affected by suicide in Wales, but their stories provide valuable insights into how they found themselves navigating a complicated process, involving a range of agencies with whom they'd often had no prior experience. Their feedback also affirmed our understanding that bereavement following a sudden or unexplained death, that might be a suicide, is a very personal and individual journey where generalisations are not helpful. However, some key themes did emerge from the conversations including:

- The very specialised nature of suicide bereavement, compared to other forms of bereavement.
- The need to have contact with a person, who understands bereavement by possible suicide, who can help them to navigate the system, and identify their needs in the days, weeks and possibly months following the death.
- The need to be consistently met with a compassionate and considerate response from all individuals and agencies they liaise with, or who they may approach for help and support.
- The significant impact of the inquest - the period leading up to the inquest, the inquest itself, and the period post-inquest particularly if the press or media have reported.

---

<sup>16</sup> <https://collaborative.nhs.wales/networks/wales-mental-health-network/suicide-and-self-harm-prevention/suicide-and-self-harm-documents/bereavement-by-suicide-insights-jan-march-2021/>

- The need for more clarity and better understanding around the different forms of emotional and mental health support, therapy, or counselling, what each provides in relation to different needs, and how to access a service at the time it is needed.
- Positive experiences relating to peer support offers, found to be more quickly and easily accessible, and attended by people who share the experiences of a bereavement by suicide, but perhaps with a need for more groups to be available or appealing to men.

## Finding out that someone close to you has died by suicide

The Police are most likely to inform you that someone close to you has suddenly died in unexpected or unusual circumstances. All police forces have a 'sudden death' protocol, including deaths where the possible cause is suicide.

If a sudden death requires a criminal investigation, police forces in the UK provide a family liaison officer (FLO) or victim support officer. As an unexplained death that is suspected to be a suicide does not constitute a crime, this support is not provided by the Police, though in some instances officers may follow-up in the days following the notification that someone has died. For some of the people who we spoke to, the absence of any immediate support left a profound feeling of abandonment and isolation. While no crime has taken place, sometimes the cause of death is unclear and evidence needs to be collected to support any subsequent investigation, and so that the police can prepare for the inquest that will inevitably follow, and this matter of important police business can sometimes overshadow the needs of those affected by the death. This can present pressures for front line police officers who may not receive in-depth training to manage the conflicting demands at such critical moments, which can also impact on their own wellbeing.

Some of the participants we spoke to had very positive experiences with the Police, where officers made efforts to follow-up with those affected, even when shift patterns made this more difficult, however it remains that it is not the role of the police to provide a more substantive support service.

## Practical support early on

Many who took part in the listening exercise, who expressed a lack of support in the immediate days and weeks following the death, said they would have benefited from

practical help to navigate those agencies they needed to engage with, and the various support agencies available. Where there were delays in inquests families said ongoing help during this time would have been appreciated. The impact of the COVID-19 pandemic meant many more inquests have had a longer lead-in time<sup>17</sup>.

### Support for those experiencing a deep sense of loss but who are not immediate family

Not all of those bereaved by suicide who participated in the listening exercise had lost someone in their immediate family. Some lost relatives of their spouse or partner, friends, people with whom they were in a relationship. Their relationship to the person who had died meant that they were not able to make direct contact with some of the key agencies or become involved in any plans regarding the person they had lost, and this reduced the opportunity to benefit from any potential offers of support. These participants were emotionally very attached to the person who had died, but were either not next of kin, or deemed a 'person of interest' by the coroner to be engaged in the processes involved, such as the inquest, and so they felt either excluded, or unable to speak on behalf of, or what they felt was in the best interests of, the deceased.

### Challenges around the inquest

Considerable anxiety was expressed regarding the run up to inquests, the inquests themselves, and the period following. Many were not aware that statements they may have made to police officers in the very early stages, could be read out at an inquest. The very public nature of an inquest was also not always explained, or the rights of the press to be present and to report on the death and the circumstances of the person who has died, immediately following the proceedings.

### Psychological support and counselling services

The referral and provision of counselling or psychological support did not always lead to a positive experience for those who tried to access them. Some did not seek this type of support, never having considered it as something they had needed

---

<sup>17</sup><https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/articles/impactofregistrationdelaysonmortalitystatisticsinenglandandwales/2020>

before or could benefit from, and others who were referred through their GP were faced with significant waiting times. Some people sought the support privately but were not always sure what they needed and sometimes the resulting experience was disappointing. Again, because of the very specific nature of bereavement by suicide, the quality of the therapeutic relationship appeared to be extremely important, and some found their counsellor quite distant and lacking compassion or understanding. However, for some the outcomes were extremely positive, with some reporting that they had developed life-long skills that helped them with relapses and triggers later in their bereavement journey.

## Response to the 'Help is at Hand Cymru' resource

'Help is at Hand' was originally developed by Professor Keith Hawton and Sue Simkin at the Centre for Suicide Research<sup>18</sup>, University of Oxford, in collaboration with an advisory group. It was published in 2006 supported by funding from the Department of Health. In England, the resource was refreshed in 2015<sup>19</sup> with the involvement of people with lived experience, and recently updated in March 2021. It is available via the National Suicide Prevention Alliance<sup>20</sup>, and other websites.

In February 2013, a Welsh version, 'Help is at Hand Cymru', was developed through the Welsh National Advisory Group for suicide and self-harm prevention<sup>21</sup>. The resource was revised in 2016, with Welsh Government funding, through Swansea University, led by Professor Ann John, and that version is currently available on-line in pdf format, in Welsh and English via the Dewis Cymru and other websites<sup>22</sup>.

Most of the people who took part in our listening exercise were not offered access to the 'Help is at Hand Cymru' resource at any point during their bereavement. When presented with a copy, many felt that the information would have been helpful, though some felt it would have also been too much to take in, in the first few weeks

---

<sup>18</sup> <https://www.cambridge.org/core/journals/psychiatric-bulletin/article/help-is-at-hand-for-people-bereaved-by-suicide-and-other-traumatic-death/31F927B88A15B09D06717198A1AE9569>

<sup>19</sup> <https://www.gov.uk/government/news/you-are-not-alone-help-is-at-hand-for-anyone-bereaved-by-suicide>

<sup>20</sup> [Help is at Hand - Providing Individual Support - NSPA](#)

<sup>21</sup> <https://www.cruse.org.uk/news/help-is-at-hand>

<sup>22</sup> [Help is at hand Cymru \(dewis.wales\)](#)

When asked how they thought the resource could be developed, the people we spoke to made constructive suggestions:

- To provide the information in different formats, eg: paper, digital, interactive presentations with video, as having to read it all written down was something they did not feel they could have done in the early days and weeks.
- To break down the document, making different parts available at different stages and through the agencies that each section related to.
- Updating the design and look so that it is more visually appealing to young people and males

This would suggest that investment is required to build on this resource, to bring it up to date, break it down into more accessible components, and to develop its appeal to a wider audience.

## Delivering a compassionate system-wide response

### Overview

The accounts of those directly affected by a suicide suggest that bereavement journeys are unique to each individual and for those close to them. There are organisations and agencies with whom many of them will come into contact, but their experiences can be very different depending on where they are and the individuals they meet. Our insights work confirmed that some of these experiences can be helpful and supportive, yet others can be disappointing, distressing, or at worst, they can set people back and re-traumatise them.

Where compassion may be viewed as a variable or desirable extra quality in those delivering front-line services, due to the vulnerabilities of people bereaved by possible suicide, a compassionate response is fundamental and essential, even in the briefest and most simple of exchanges.

People bereaved by possible suicide speak of a very specific set of needs that more generalised bereavement services and responses cannot always meet. Emotional responses can be conflicting and evolve over a lifetime. The potential complexity and longevity of the grief calls for a systems-wide response with multiple flexible components so that people have options for finding the right help and support at various points during their bereavement. Guidance from the National Institute for Health and Care Excellence (NICE) makes it clear that support should be offered proactively, and recurrently<sup>23</sup>. Based on developments across the UK and beyond, and the accounts of people in Wales, these components would include:

- A point of contact immediately following the death, and the personal assistance of someone who can 'come alongside' and keep abreast of people's needs, as they navigate the days and weeks ahead.
- A compassionate response without judgement or stigma, at the interfaces and agencies set out on pages 15/16.
- A further proactive offer of information and support at each agency the bereaved come into contact with as set out on page 16, including an understanding from

---

<sup>23</sup> <https://www.nice.org.uk/guidance/qs189/chapter/Quality-statement-5-Supporting-people-bereaved-or-affected-by-a-suspected-suicide>

agency personnel, of the role of the other agencies the bereaved are likely to come into contact with.

- Timely availability and access to sources of mental and emotional therapeutic support appropriate to the needs and experiences of the individual, group, or family.
- Appropriate access to medication where pharmaceutical intervention is the right response, in the context of a wider package of support
- Opportunities to connect with others living with similar experience, specific to a loss from suicide, such as peer support or community network

## Key Principles

By engaging with individuals with lived experience, and those agencies they encounter, the following principles have emerged to shape our response.

Those offering support:

- Recognise that each individual bereavement journey is different, and the experiences people have with different agencies is also different.
- Are kind and compassionate, and honest about the uncertainty of each journey ahead and how people's needs might change along the way.
- Ensure that they are providing information that is factually correct, and reflects the local processes in the area in which the bereaved are based, and the support systems that are available.
- Recognise the limitations of their ability and capacity to support, and are equipped with the right information to connect with other agencies and organisations who can provide the additional support that might be needed.
- Remain mindful of the multiple risk factors that can lead to a death by suicide, the complexity of people's backgrounds, the contexts in which they live and work, and the potential for them to have experienced previous trauma (see trauma informed practice page 36).
- Acknowledge those characteristics protected through the Equality Act 2010<sup>24</sup>, that may present particular needs and preferences (eg: they may be experiencing

---

<sup>24</sup> [Protected characteristics | Equality and Human Rights Commission \(equalityhumanrights.com\)](https://www.equalityhumanrights.com/en/protected-characteristics)

stigma and discrimination in addition to the stigma often associated with suicide; they may have particular requirements relating to their faith or beliefs, or the faith or beliefs of the person who has died, which may be different; or that they are feeling that these faiths and beliefs are being challenged by the nature of the death).

- Acknowledge that support must always be available in Welsh as well as English and all referral information, assessments that may be carried out, leaflets, and support materials should similarly always be available in Welsh and English as part of the core offer to bereaved people in Wales.
- Come 'alongside' those who are bereaved or affected, arriving at plans and actions that suit each individual (individual needs potentially being different within groups and families), so that things are done 'with' and not 'to' people when they are most vulnerable.

## Understanding Compassion

While there are ambitions across Wales to foster compassionate communities, there is currently no clear or shared definition of what compassion is, what it feels like, or how to enact compassion as a way of behaving towards others.

Compassionate Cymru<sup>25</sup> is a national movement whose vision is for everyone in Wales to enjoy the benefits of belonging, to receive help at a time when they need it most, including times when they are dealing with grief, loss, and bereavement, and to give help when they are able.

The Compassionate Cymru Steering Group<sup>26</sup> recommends a model of compassion set out in the Harvard Business Review<sup>27</sup> which offers a graph explaining how compassion goes beyond empathy and sympathy (see Fig:1)


---

<sup>25</sup> [Mission Vision and Values - Compassionate Cymru](#)

<sup>26</sup> <https://compassionate.cymru/about/members-and-steering-group/>

<sup>27</sup> <https://hbr.org/2021/12/connect-with-empathy-but-lead-with-compassion>

Fig.1



During the development of this guidance, members of the task and finish group were invited to provide three words that describe how it feels to be met with compassion (see Fig.2). The outcome is captured in the word cloud below where the larger the letters, the more frequently the word was used.

Fig.2



'Compassionate Leadership' is currently gaining traction across the UK public sector<sup>28</sup> <sup>29</sup>, identifying four behaviours of compassionate leadership. Whilst framed for the workplace, the components resonate more widely:

- **Attending** – 'listening with fascination' – being present with and focusing on others.
- **Understanding** – 'taking time to properly explore and understand the situations people are struggling with' – valuing and exploring different perspectives.
- **Empathising** – 'feeling the emotions of others without being overwhelmed'.
- **Helping** – 'taking thoughtful and intelligent action' – removing obstacles and providing resources.

## Understanding trauma-informed approaches

The impact of a sudden or unexplained death, that is a possible suicide, can induce a trauma response. This may not be limited to those close to the person who has died, but also those who may have been the first person to find the deceased<sup>30</sup> (who they may not know, or who may be a child or young person). They may have been the last person to interact with the person who has died or impacted by the method used and the immediate care or response required. This can affect family members, members of the public, first responders (eg: emergency services and volunteer rescue teams), public service providers, and health professionals. Indeed, the experience could induce a trauma response in anyone who feels connected to the person who has died or what has happened.

The Welsh Government's ambition is for all services in Wales to support the use of trauma-informed practices, adopting a societal approach to understanding, preventing, and supporting the impacts of trauma and adversity<sup>31</sup>. The recently

---

<sup>28</sup> [What is compassionate leadership? | The King's Fund \(kingsfund.org.uk\)](https://www.kingsfund.org.uk/insights-and-analysis/compassionate-leadership)

<sup>29</sup> [Leadership Principles for Health and Social Care in Wales - Gwella HEIW Leadership Portal for Wales](https://www.gwellahelthcare.org.uk/leadership-principles-for-health-and-social-care-in-wales)

<sup>30</sup> [Home - First Hand \(first-hand.org.uk\)](https://www.first-hand.org.uk/)

<sup>31</sup> [Trauma-Informed Wales \(traumaframeworkcymru.com\)](https://www.traumaframeworkcymru.com/)

published Trauma-informed Wales framework (2022) defines a trauma-informed approach as one:

- That recognises that everyone has a role in sensitively facilitating opportunities and life chances for people affected by trauma and adversity.
- Where a person, family, community, organisation, service, or system takes account of the widespread impact of adversity and trauma and understands potential ways of preventing, healing, and overcoming this as an individual, or with the support of others, including communities and services.
- Where people recognise the multiple presentations of being affected by trauma in individuals, families, communities, staff, and others in organisations and systems across society.
- Where knowledge about trauma and its effects are integrated into policies, procedures, and practices.
- That seeks to actively resist traumatising people again and prevent and mitigate adverse consequences, prioritising physical and emotional safety and commits to 'do no harm', and to proactively support and help affected people to make their own informed choices.

### Acting in a trauma informed way

Trauma can relate to single incidents such as assaults, serious accidents, or events, or through persistent and repeated exposure over time in situations that might be difficult to escape from<sup>32</sup>.

People affected by trauma can be less likely than others to seek or receive the help or support they need for a range of reasons. A workforce or community that can recognise where an individual might be affected by trauma can do several things:

- Recognise that people might have experienced various traumatic events and adversity. While being exposed to a sudden death that could be a suicide is a singular traumatic event, it could be in addition to and impacted by previous traumatic experiences.

---

<sup>32</sup> [nationaltraumatrainningframework.pdf \(transformingpsychologicaltrauma.scot\)](#)

- Provide a different experience of relationships in which people are offered safety rather than threat, choice rather than control, collaboration rather than coercion, and trust rather than betrayal.
- Minimise the barriers to receiving care, support, and interventions particularly for those whose memories of trauma are triggered by aspects of the service or interactions with staff.
- Recognise that trauma exposure affects people's neurological, biological, psychological, and social development<sup>33</sup>.

---

<sup>33</sup> [Supporting documents - Trauma-informed practice: toolkit - gov.scot \(www.gov.scot\)](http://www.gov.scot/supporting-documents-trauma-informed-practice-toolkit)

## Providing an immediate proactive offer of support through a specialist advisory and liaison service

### Components of an immediate response

Established services specifically designed to respond to people impacted by a suspected suicide across the UK show that the needs of people bereaved by a suicide are often practical in the days and weeks immediately following the death. If someone affected by the death has experienced trauma e.g.: they found the deceased person, then they may also need trauma counselling or support from the early stages. However, psychological therapies or counselling can often play their part after several weeks or months have passed. Importantly, there needs to be a process in place for the needs of each person bereaved, affected, or exposed to a suspected suicide to be acknowledged and discussed, so that the right support can be provided at the right time.

Essential elements of the initial response are that it is:

- timely (within 72 hours in the first instance)
- accessible (immediately, and at various subsequent intervals)
- professional (with suitably qualified, skilled, experienced, and supported workers)
- compassionate
- safe
- confidential

There are several roles that provide services for people who need both practical and emotional support when they are going through a challenging experience across different sectors in relation to traumatic events e.g.: Family Liaison Officers; Victim Support Officers; Independent Sexual or Domestic Violence Advisors; Macmillan Cancer Support Workers. The offer that these roles have in common reflect the principles underpinning psychological first aid set out by the World Health Organisation (WHO)<sup>34</sup>, in providing a humane, supportive response to a fellow human being who is suffering and who may need support.

---

<sup>34</sup> <https://www.who.int/publications/i/item/9789241548205>

These include:

- Non-therapeutic but empathetic support, information, and advocacy.
- Review of needs, risks, and concerns to ensure safety and wellbeing.
- Development of plans working alongside individuals to meet identified needs.
- Facilitated access to services and agencies, and connection to information that can help with practical issues and emotional support.
- Listening to people without pressuring them to talk.

A similar role, particularly focused on supporting people who are bereaved by a possible suicide has been outlined in the appendices (see page 61).

### Developing a consistent offer across Wales

Through their discussions, members of the guidance task and finish group agreed that a nationally recognised agency should be identified, to ensure an immediate and proactive response can be made universally across Wales.

This agency could provide a straightforward connection between those affected by a suspected suicide, and the police, and other touch-point agencies who come into contact with the bereaved at any time along their individual bereavement journey. This would also ensure that the NICE guidance to make an early proactive offer of support, with subsequent repeated offers, could be implemented consistently, given how variably the bereaved may be receptive to each offer.

The agency, through suitably qualified and experienced workers (bereavement liaison officers), would provide a triaging service and facilitate access to the varying forms of support that people bereaved by suicide have told us they need, in whatever delivery format, or geographical proximity is most suitable for them.

### Expectations set out in the National Bereavement Care Pathway for Wales

The national bereavement care pathway for Wales model specification sets out the need for multi-disciplinary and multi-agency integrated support pathways for those bereaved<sup>35</sup>. The pathway recommends that support should always be tailored to

---

<sup>35</sup> [National bereavement care pathway | GOV.WALES](#)

meet individual needs following an appropriate assessment, rather than assuming people's needs according to the 'type' of bereavement. It also suggests that incremental assessments of need might need to be available, over time, rather than over-loading individuals with a fuller assessment at their first contact.

An over-arching national service for sudden unexplained deaths, with established links across all forms of potential support, specialised and more general, will enable the delivery of the standards set out in the national bereavement care framework and pathway for Wales, offering choice to the bereaved and ensuring equity in that offer. The agency can also facilitate collaboration and connectivity between the touch-point agencies identified in the journeys of those living with bereavement by suicide in Wales, and the statutory and third sector agencies providing different elements of support and inform shared training and development for workers from different sectors and organisations.

### [Additional benefits of a 'Once for Wales' approach](#)

A specialist advisory and liaison service would also establish a national overview of more localised provision, the strengths, and the gaps, informing continual improvement in delivering equitable access to the right support at the right time. It could facilitate an 'asset based' approach, building on the strengths of existing services that respond to different needs, while working to agreed outcomes.

Through the engagement of an over-arching national service, issues regarding data protection and data disclosure agreements will be simplified helping to ensure the protection of the personal information of those affected, in the immediate hours and days following an unexplained death that could be suicide. It may also be clearer to those impacted, who they can expect to contact them soon, at a time when multi-agency engagement might be overwhelming.

From a commissioning perspective, performance management will be more straightforward, against clear expectations around efficiency, timeliness, consistency, evaluation, and engagement of those with lived experience in the continual improvement of services.

## Developing a consistently compassionate response through the ‘touch point’ agencies and the wider community

### What agencies at the different ‘touch points’ can do

Delivering trauma informed compassionate services requires a move away from process-led medical models<sup>36</sup>, to being person-led, giving the service user choices, and offering appropriate support and interventions, understanding the widespread occurrence and nature of trauma and loss. Collaboration and multiagency working is essential to delivering holistic (whole person) care and support.

In relation to a bereavement journey following a possible suicide, the ‘touch point’ agencies such as the police, mortuaries and coroners have clear processes that need to be followed in the scope of their statutory duties. These partners work very closely together, and part of the compassionate response is that the bereaved are helped to understand the role of each of these services or agencies; how they will be concerning themselves with the details regarding the deceased; and the opportunities and limitations regarding their level of engagement with the bereaved individuals and families in any kind of supportive capacity.

In trauma-informed compassionate practice, irrespective of the limits of the scope of any given service, all daily interactions (spoken and written) with another person (service user and co-workers) are kind and considerate. Sentences are framed positively. The well-being of the individual is given precedence. This includes being aware of culture and language, gender, disabilities, and individual differences. Physical environments also need to be trauma informed. They need to be accommodating, comfortable and safe. Services should strive to provide spaces that are designed to give service users a sense of belonging and normalisation.

Through the listening exercise we learned from those bereaved by a suicide that funeral directors are particularly helpful about practical issues relating to a death,

---

<sup>36</sup> [Living with grief - The Lancet](#)

with capacity to spend time with the bereaved, and the skills to show kindness and compassion. Funeral directors work closely with first responders, mortuaries and coroners, and part of our efforts to foster a compassionate community response would be that each of these agencies share the responsibility to help the bereaved to understand the roles of the different agencies and services, and how, when, and why they will feature along the bereavement journey.

## Agencies at the first point of contact

### Police

#### Current guidance

[Suicide and bereavement response \(college.police.uk\)](https://college.police.uk/suicide-and-bereavement-response)

#### Adaptations to service delivery

The police play an active role in helping those agencies with statutory responsibilities to help vulnerable people. At a strategic level there is an NPCC (National Police Chief Constable) lead for suicide and bereavement care, who works alongside the lead for Mental Health.

At an operational level, police officers and staff come across people at risk of suicide in their everyday duties. Police have an important part to play in taking immediate safeguarding action.

Data sharing through appropriate channels will further assist in ensuring these individuals receive the care they need.

Police, along with the Welsh Ambulance Service (WAST), are most likely to be the first emergency services on the scene following a suspected suicide. The above guidance document (Authorised Professional Practice College of Policing) sets out the policing response that officers will provide.

### Welsh Ambulance Services NHS Trust (WAST)

#### Current guidance

[JRCALC Plus - Class Professional Publishing](https://www.jrcalcplus.com/class-professional-publishing)

Up to date guidance can be found on the JRCALC Plus app as well as through existing WAST policies.

## Adaptations to service delivery

From call handlers working in the 999-contact centre, through to nurses working in the 111 service, and paramedics and technicians working in ambulances, most have spoken with someone who has been affected by suicide. Many will have been involved in efforts to resuscitate people and to support newly bereaved families. WAST has a major focus on suicide in their training programme, delivering suicide first aid across the organisation. E-learning modules are available to all staff through the WAST Learning Zone on suicide intervention, and a culture of compassionate communication is emphasised for all of our interactions.

This guidance will help us to work with our partners across Wales to improve the response to people who are bereaved by suicide. Support is available to staff affected via TRIM practitioners or the Wellbeing Team.

## Royal National Lifeboat Institution (RNLI)

### Current guidance

[Drowning Prevention Strategy - National Water Safety Forum](#)

[Royal National Lifeboat Institution \(RNLI\) - NSPA](#)

The RNLI has noted an increase in their response to incidents of self-harm which, while not resulting in loss of life, can have a traumatic and lasting effect on the first responders. In other instances, cases of repeated self-harm often signal later incidents of suicide which can have a traumatic impact on the RNLI volunteers.

### Adaptations to service delivery

Regarding the public and loss of life, it might be that the bereaved may wish to engage with those RNLI first responders to achieve greater understanding of the circumstances of the incident surrounding the death of the person they have lost, and this support could be offered by a TRIM (Trauma Risk Incident Management) trained member of their team.

## Mortuaries and hospital end of life or care after death services

### Current guidance

<https://gov.wales/national-framework-delivery-bereavement-care>

### Adaptations to service delivery

In most Health Boards there is a team offering bereavement support to families when a patient dies in hospital. This team sometimes has a dual role, working within the mortuary, or a separate service altogether. Some Health boards do not have a dedicated bereavement service, which is something that is being supported through the National Bereavement Framework.

Within each Health board, there will usually be a nominated mortuary site which serves as the City or County Mortuary, into which all sudden or unexpected Coronial deaths, including suicides or suspected suicides, will be brought. This places either the bereavement team or mortuary team at the epicentre. The team will be aware of the deceased person, and the circumstances, very early on and be well placed to provide immediate support. This team usually works in close collaboration with the Coroner's Office and Police, and usually also has significant contact with the family, especially if there needs to be an identification performed at the mortuary.

Often, families will also want to visit their loved one, especially in this type of circumstance, and this again is facilitated by the mortuary team or the bereavement support team. This level of care and respect will include establishing their faith/belief and that of the bereaved family. In some cases, some interventions will be traumatic (for example, some faiths require burial or cremation within 24 hours and delay adds to trauma; some faiths oppose invasive examination of the deceased's body and overriding this deeply held belief will add to trauma).

Some mortuary or bereavement teams do not offer dedicated support for the family or relatives of Home Office or Coronial deaths<sup>37</sup>, only hospital deaths, while other mortuary teams do. However, they are in an excellent position to do so if they have the right training. In Swansea Bay, for example, both informal emotional and practical support is offered, with signposting for further support based on the needs of the individual, and this service is well received by the families, coroner and the mortuary team.

## Funeral Directors

### Current guidance

Funeral directors are governed predominately by two professional bodies but some of the smaller, independent firms may not be part of either organisation and act independently.

[UK Independent Funeral Directors \(saif.org.uk\)](http://saif.org.uk)

[Home - National Association of Funeral Directors \(nafd.org.uk\)](http://nafd.org.uk)

### Adaptations to service delivery

Funeral Directors are often well placed to provide immediate support to the family when a person dies. If the death is sudden or unexpected, they are usually one of the first persons to attend. They are called by the police and attend to both facilitate the removal of the deceased from the place of death, and conveyance of the deceased to the mortuary, and to provide the family with immediate support and information on next steps. The family will usually have provided the name of the funeral director they wish to use, but in cases where the family do not have a nominated funeral director, the police will contact a funeral director on their behalf.

The funeral director predominantly arranges all things relating to the funeral of the deceased, and then supports with the funeral or ceremony (religious or non-religious), dependent on the wishes or preferences of the family, or the bereaved, in

---

<sup>37</sup> [What to do after someone dies: When a death is reported to a coroner - GOV.UK \(www.gov.uk\)](http://www.gov.uk)

relation to their cultural practices, faith or beliefs, or their wish for a natural or humanist ceremony.

In the early days the funeral director can assist with paperwork, provide advice about finances and legalities, as well as signpost families for bereavement support, however signposting families for further support can be inconsistent, and dependent on the individual company or person. It is not a requisite of the role, and some funeral directors may only know where to signpost on to if they have previous experience or research sources of support on behalf of the family. Families will often return to the same funeral director time and time again, for any further bereavements, and often keep up contact long after the funeral has taken place.

## Agencies involved in the Inquest

### Coroner's Services

#### Current guidance

[Guide to coroner services - GOV.UK \(www.gov.uk\)](https://www.gov.uk/guidance/coroner-services)

#### Adaptations to service delivery

The work of the coroner's office exposes the staff to the full community impact of a death, including those by suicide. The impact observed by coroners around suicide is that it can include further deaths by suicide, amongst friends and family members traumatised by a suicide. Advice provided by those providing coroners services include:

- Use of available resources to help people to understand in what circumstances a death will be referred to the coroner's office (eg: 'Help is at Hand'), and that if referred, that the coroner's office will contact the bereaved.
- The provision of contact details for local agencies likely to be involved and who can support the bereaved, and this information also being consistently provided by police, ambulance services, funeral directors, GPs, and hospital bereavement services.

- Support for the provision of an independent person for the bereaved to talk to, and for that support to be available as rapidly as possible, and available for as long as is required. The practical support that this person offers should include practical guidance concerning the inquest and all that it involves.
- That postvention is recognised as relevant across the life-course, as coroner's offices receive reports of suicide amongst the elderly often in relation to the loss of their lifetime partner, loss of good health, status, self-worth and loneliness. Coroners would encourage GPs and community nurses to be vigilant to the emotional welfare of their elderly patients who live alone.
- Recognising the wider 'ripple effect' of a suicide across a community and over time, ensuring the visibility and availability of support services without stigma so that people can seek and find support as and when they need it.
- With regard to suicide prevention, coroners have observed a frequency in the link between suicide and drug and alcohol use, highlighting the need for wider policy to address suicide, and broader prevention interventions and support for people using drugs and alcohol.
- Recognising those attending an inquest who may represent the media or press, and reminding them of the need to be responsible in any reporting in relation to an unexpected or unexplained death.

## Press and Media

### Current guidance

Industry guidance: [Reporting on suicide for journalists \(ipso.co.uk\)](https://www.ipso.co.uk)

NICE (National Institute for Health and Care Excellence) guidance: [Quality statement 3: Media reporting | Suicide prevention | Quality standards | NICE](#)

Samaritans media guidance: [Samaritans' Media Guidelines](#)

PAPYRUS media guidance: [Guidance on Reporting Suicide - Papyrus UK | Suicide Prevention Charity \(papyrus-uk.org\)](https://www.papyrus-uk.org)

World Health Organisation (WHO) resource: [Microsoft Word - media\\_update\\_3\\_final\\_A5.doc \(who.int\)](#)

## Adaptations to service delivery

An inquest is a public hearing, and the press and media are entitled to attend to report on unexplained or unexpected deaths, in the public interest. There is a delicate balance to strike to serve this public interest, while ensuring respect and compassion is shown to the family or those close to the person who has died, and indeed to be respectful to the deceased. There are multiple sources of guidance for people working in the media, and the coroner team may find opportunities to draw this guidance to the attention of those attending the inquest on behalf of press and media outlets, at the time of the inquest.

## Agencies that provide additional support

### GPs and Primary Care Teams

#### Current guidance

[Suicide Postvention: Support Pack for General Practice in Derbyshire \(derbyandderbyshireccg.nhs.uk\)](https://www.derbyandderbyshireccg.nhs.uk)

[Experiences of suicide bereavement: a qualitative study exploring the role of the GP - PubMed \(nih.gov\)](#)

[Experiences of support from primary care and perceived needs of parents bereaved by suicide: a qualitative study - PubMed \(nih.gov\)](#)

## Adaptations to service delivery

Primary Care services are an integral part of supporting the health and wellbeing of our communities. People affected by suicide will often come into contact with primary care services at various points in time following bereavement from suicide. However, with over 400 GP practices in Wales, there is likely to be significant variation in the capacity and nature of what practices are able to offer in support. Primary Care clusters and their constituent GP practices should ensure that their teams have the capacity, capability, and support to provide a meaningful and compassionate response when in contact with people affected by suicide.

Whilst primary care does not in general provide specialist or dedicated bereavement services, primary care staff and teams should be able to describe the variety support

available to individuals within their teams. This is especially important given the increasingly multi-professional nature of primary care services. As primary care staff, especially reception/care navigation staff, will often be resident within the communities in which they work, any training to support staff to provide a compassionate response following bereavement should also address the emotional impact and pastoral care of the staff themselves.

## Employers and workplaces

### Current guidance

Guidance is available from several sources including the Chartered Institute of Personnel and Development; the Advisory, Conciliation and Arbitration Service (ACAS); and on the GOV.UK website regarding entitlements following a bereavement.

<https://www.gov.uk/time-off-for-dependants>

<https://www.gov.uk/parental-bereavement-pay-leave>

[Responding to suicide risk in the workplace: a guide for people professionals \(cipd.co.uk\)](#)

[Reducing the risk of suicide: a toolkit for employers – SASP \(supportaftersuicide.org.uk\)](#)

[Responding-to-Suicide-A-Guide-for-Employers.pdf \(hospicefoundation.ie\)](#)

<https://www.nhsemployers.org/articles/suicide-prevention-and-postvention>

[bitc-wellbeing-toolkit-PHESuicidePreventiontoolkit-Feb2020.pdf](#)

<https://www.acas.org.uk/time-off-for-bereavement/supporting-an-employee-after-a-death>

[Your Workplace | Time to Change Wales](#)

[Crisis Management In The Event Of A Suicide: A Postvention Toolkit For Employers - Business in the Community \(bitc.org.uk\)](#)

### Adaptations to service delivery

There are currently no UK laws obliging employers to grant leave entitlement for death in the family, however employees have a right to time off to deal with an

emergency involving a dependent. Since April 2020, employees are also entitled to statutory parental bereavement pay and leave.

Many employers have a clear plan or bereavement policy on how they will support employees when someone dies, that provides for bereavement leave, pay during leave, and other considerations such as managing the return to work, and what offers are available to support the employees ongoing health and wellbeing.

A bereavement following a possible suicide can present particular challenges and support needs, as the death may be followed by an inquest, and might be of interest to the local or wider media and enter the public domain. This may require a range of responses, and recognition of the length of time it might take for the full repercussions of the death to play out.

Some of those living with bereavement by suicide who participated in the listening exercise explained how they experienced stigma and a lack of understanding around their experiences amongst work colleagues. Others found that their employers showed compassion and went over and above legal requirements to ensure they were supported. Time to Change Wales is an anti-stigma campaign with an organisational pledge to support employers in combatting stigma in the workplace<sup>38</sup>.

Samaritans Cymru have developed a bilingual toolkit 'Working with Compassion'<sup>39</sup> to help people in Wales to develop compassionate approaches at work and improve interactions between staff, customers, clients or services users.

Psychological, counselling or 'talking' therapies for mental and emotional support and skills development

## Current guidance

[Matrics Cymru \(CM design - DRAFT 15\).pdf \(wales.nhs.uk\)](#)

## Adaptations to service delivery

---

<sup>38</sup> <https://www.timetochangewales.org.uk/en/employers/>

<sup>39</sup> <https://www.samaritans.org/how-we-can-help/workplace/working-with-compassion-a-toolkit-for-wales/>

The Matrics Cymru guidance for delivering evidence-based psychological therapies in Wales defines psychological therapies as treatments and interventions that are derived from specific psychological theories and formulated into a model or treatment protocol<sup>40</sup>. The guidance recognises that the quality of the relationship between therapist and service user is an essential component in the delivery of effective psychological interventions.

## Peer Support Groups

### Current guidance

[Volunteer opportunities, rights and expenses: Volunteers' rights - GOV.UK](https://www.gov.uk)

[www.gov.uk](https://www.gov.uk)

[Guidelines for Delivering Bereavement Support Groups – Support After Suicide](#)

### Adaptations to service delivery

Peer support resonates strongly with people bereaved by suicide, providing potentially indefinite comfort and companionship. Many of the agencies already providing suicide bereavement support in Wales are led and staffed by people on their own bereavement journeys, who make themselves available to others, to provide much needed understanding. Some of these agencies also provide signposting to other forms of support, or access to a range of therapies.

---

<sup>40</sup> [Matrics Cymru \(CM design - DRAFT 15\).pdf \(wales.nhs.uk\)](#)

## Other considerations for ensuring a compassionate response

### Ensuring equitable access to support

- Health Inequalities

The suicide and self-harm prevention strategy for Wales (2015-2020), 'Talk to me 2', presents a clear gradient between the rates of suicide, and residence-based deprivation, with rates of suicide being highest in the most deprived communities. In 2017 Samaritans commissioned a report 'dying from inequality'<sup>41</sup>, followed by 'socioeconomic disadvantage and suicidal behaviour: finding a way forward for Wales'<sup>42</sup> from Samaritans Cymru. Both reports recognise that people living in the most disadvantaged or under-served communities face the highest risk of dying by suicide with income, unmanageable debt, unemployment, poor housing conditions, and other socioeconomic factors contributing to risk.

It is important to ensure that people impacted by suicide have equal access to bereavement support across communities, particularly where numbers of suicides may be lower than in highly populated areas, but rates per 100,000 might be higher eg: in more rural regions. The Samaritans Cymru report identified that those experiencing poverty are unable to access some forms of bereavement support due to lack of resources, recommending that GPs, coroners, and funeral directors present possible opportunities for signposting and linking bereaved individuals to appropriate sources of support. The provision of a national advisory and liaison service will help to overcome gaps in services and provide support for underserved communities.

---

<sup>41</sup> [Samaritans Dying from inequality report - summary.pdf](#)

<sup>42</sup> [Socioeconomic disadvantage and suicidal behaviour | Samaritans](#)

- Intersectionality

The protected characteristics set out in the Equality Act (2010)<sup>43</sup> (age, disability – which could include neuro-diverse conditions, gender, marital or civil partnership, pregnancy and maternity, race, religion or belief, sex, sexual orientation), are often considered separately, failing to recognise how multiple social identities can intersect at an individual level, compounding the impacts of marginalisation and disadvantage<sup>44,45</sup>. Individuals and families impacted by a death by suicide may have multiple characteristics that lead to them experiencing several barriers to accessing services, and which may also make them more vulnerable to suicide within their communities.

A compassionate response to all those affected by suicide should ensure that all aspects of people's needs, and preferences are acknowledged, whether financial, cultural, social, related to aspects of their identity or sexuality, their physical or mental capacity, or their overall health and wellbeing. Faith and belief can be important at such a time, recognising that the faith or beliefs of the deceased may not be shared by all those bereaved, and the faith or beliefs of the bereaved may be challenged or changed by the experience.

While intersectionality is an emerging concept, with an under-developed evidence base, it is gaining traction as a way of encouraging approaches that are sensitive to subgroup inequalities and the processes that generate them<sup>46</sup>.

The development of the real-time surveillance system will enable us to monitor those factors and characteristics relating more closely to intersectionality in the future.

---

<sup>43</sup> [Protected characteristics | Equality and Human Rights Commission \(equalityhumanrights.com\)](https://www.equalityhumanrights.com/en/protected-characteristics)

<sup>44</sup> Neurodiverse conditions are found in people with differences in the way their brains work and develop, and include autism spectrum disorder (ASD), and attention deficit hyperactive disorder (ADHD), Dyslexia, Dyscalculia and Dyspraxia ( [Neurodiversity - Oxford Health NHS Foundation Trust](https://www.oxfordhealthnhs.com/Neurodiversity))

<sup>45</sup> [https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(21\)02801-4/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)02801-4/fulltext)

<sup>46</sup> <https://health-policy-systems.biomedcentral.com/articles/10.1186/s12961-021-00742-w>

- **Welsh Language**

The Welsh Language (Wales) Measure gives the Welsh language official status in Wales. Communicating with individuals in their own language is a key component of delivering good care. It is important that anyone bereaved by a sudden death or suicide is able to access support services, including touch point agencies in the language of their choice. This should include information at the first point of contact, any referral conversations and information collected, leaflets, materials and support sessions whether, provided face to face or virtually.

[Mwy na geiriau/More than just words](#) is the Welsh Government's strategic framework to strengthen Welsh language provision in health and social care. At the core of the framework is the principle of the Active Offer. It places a responsibility on health and social care providers to offer services in Welsh, rather than on the individual or service user to have to request them.

## Workforce Development

As set out in the Senedd Inquiry report (2018), suicide prevention is 'Everybody's Business'<sup>47</sup>.

Calls to action transcend geographical and organisational boundaries, requiring all sectors to recognise their part in fostering a compassionate Wales, recognising when others may need help, and being kind to one another. Specific competencies related to postvention are set out in the HEE/UCL/NCCMH guidance referenced on page 16<sup>48</sup>.

The particular needs of people who are bereaved, exposed or affected by a sudden or unexplained death, that could be a possible suicide, need to be more widely understood, and people need to feel confident, and capable of recognising and responding to those needs, or in helping those affected to find the right help.

---

<sup>47</sup> <https://senedd.wales/laid%20documents/cr-ld11947/cr-ld11947-e.pdf>

<sup>48</sup> <https://www.ucl.ac.uk/clinical-psychology/competency-maps/self-harm/Working%20with%20the%20public%20framework/Postvention/Postvention.pdf>

Professionals, front-line workers, volunteers, and members of the public will all interface with individuals, families and communities who are exposed or directly affected by a suicide. Training and development programmes across sectors should create opportunities for conversations about bereavement, loss, and grief to take place, and for learning about the particular nature of bereavement by suicide to be understood, including the importance of compassion and kindness.

There is scope for the development of a package of training and development offers to build understanding and skills to manage different interactions with people exposed, affected, or bereaved by suicide, that particularly reflect the response in Wales, and in the context of the wide range of support available in Wales. As referenced earlier in this guidance, competency frameworks are available to guide curriculum development<sup>49</sup>.

### Communication, accessible information, and digital platforms

While the agencies represented in this guidance might do all that they can to reach out to those individuals they come into contact with, the impact of a sudden death by suicide can be far reaching, and many who will be affected by the death may not come into contact with key agencies at all.

It will be important to ensure that bilingual information about bereavement support agencies is made available at other places where it may come to the attention of those experiencing grief and loss e.g.: through workplaces, front-line health and local authority services, libraries, general bereavement services, social media feeds, places of worship.

---

<sup>49</sup> [Self-harm and Suicide Prevention Competence Framework | UCL Psychology and Language Sciences - UCL – University College London](#)

## Knowing when we're responding in the right way

### What outcomes are we seeking for the people of Wales?

- At a population level

For the citizens of Wales, the vision is that anyone impacted by a sudden or unexplained death that might be a suicide, receives an offer of support from a suicide bereavement specialist agency, as soon as possible after the death. This offer is not universally available at the moment, and so we would expect to see a significant increase in the number of people accessing this provision when it becomes available.

Ultimately, we want to ensure that people directly impacted by suicide, have access to robust sources of support, for as long as they might need it, to help them through the practical and emotional challenges, and to guard against the pain of their loss increasing their vulnerability to self-harm and suicide.

The quality measures set out in the NICE quality statement provides the metrics that could be used to monitor progress. The development of a timelier surveillance system for suspected suicides in Wales will support a timelier response to those bereaved or impacted by each death.

Quality Measures		
Structure	Process	Outcome
Evidence of local arrangements to use rapid intelligence gathering to identify people (data sharing and reporting agreements)	Proportion of people who are given information ( <u>metric</u> : number of those affected compared to the number given information)	Proportion of people satisfied with the information or support (the number of people affected compared to the number satisfied)
Evidence of local processes to give information to people and ask if they need help (local protocol)	Proportion of people who are asked if they need help ( <u>metric</u> : the number affected compared to the number who were asked)	Number of suicides among people bereaved or affected by suicide (local data collection/rapid intelligence)

Evidence of local service that can provide support to people (local directory and service specification)	Proportion of people who accessed tailored support (metric: number of people affected compared to the number who accessed support)	Proportion of people affected whose experience of support was sufficiently beneficial that support was extended to wider groups
--	--	---

- For individuals, families, and groups

At a more personal level, the aim is that people impacted by a possible suicide, feel noticed, and feel that their particular practical, social, emotional, spiritual and language support needs are acknowledged, assessed and met through the concerted and compassionate actions of others, from the time of the death to the build up to, and conclusion of, the inquest, and beyond.

The published report ‘Evaluating local bereavement support services’<sup>50</sup> suggests some of the types of information that is of most interest to suicide bereavement services:

Data domain	Examples
Service level operational data: overall	Number of calls to a helpline, number of people attending a group session, number of visits to a service’s website
Service level operation data: individual	For each client: types of support received from the service, length of contact with the service, source of referral, support also received from other services
Demographic data	Age, gender, preferred language, ethnicity, place of residence, relationship to the person who has died, length of time since the death
Client experience	Feedback on how useful the service has been: What was good about the service, what could be improved? Would they recommend the service to others?

<sup>50</sup> [NSPA Evaluating-Local-Bereavement-Support-Services.pdf \(suicidebereavementuk.com\)](https://www.suicidebereavementuk.com/NSPA-Evaluating-Local-Bereavement-Support-Services.pdf)

Outcome measurement	Using a standardised assessment tool or tools to measure whether there have been any changes for people using the service
---------------------	---

Tools to measure outcomes for individuals being supported are available, including the Warwick-Edinburgh Mental Wellbeing Scale<sup>51</sup> (WEMWBS), WEMWBS short<sup>52</sup>, or other tools. The important factor being consistency in the use of the tool of choice. The Support After Suicide Partnership (SASP) has developed standards for suicide bereavement services<sup>53</sup>, including those for monitoring, measurement, and evaluation to ensure service delivery continues to meet the needs of those using the service and to inform future developments.

---

<sup>51</sup> [About WEMWBS \(warwick.ac.uk\)](http://warwick.ac.uk)

<sup>52</sup> [WEMWBS: 14-item vs 7-item scale \(warwick.ac.uk\)](http://warwick.ac.uk)

<sup>53</sup> [Measurement and Evaluation Standards – SASP \(supportaftersuicide.org.uk\)](http://supportaftersuicide.org.uk)

## GLOSSARY

Belief or philosophical belief	The Equality Act says that a philosophical belief must be genuinely held and more than an opinion. It must be cogent, serious and apply to an important aspect of human life or behaviour. The Equality Act also covers non-belief or lack of religion or belief <sup>54</sup> . In the context of the Act, religion or belief can mean any religion such as Christianity, Judaism, Islam or Buddhism, Rastafarianism or Paganism, as long as it has a clear structure and belief system.
Bereavement	<p>In its broadest sense bereavement is the state or fact of being deprived of something or someone. The Etymology (origins) of the word relate to depriving someone or taking someone away by violence, to seize or rob, and relating to sorrow from the loss or deprivation of hope, loved ones.</p> <p>People bereaved or affected by a suspected suicide include children, young people and adults who are relatives, friends, classmates, colleagues, other prisoners or detainees, as well as first responders and other professionals who provide support<sup>55</sup>.</p>
Compassion	Showing kindness, caring and willingness to help others. Compassion is a positive emotion and about being thoughtful and decent.
Compassionate communities	Communities who build compassion as a major value in life, based on how we treat each other and the world around us. Compassionate communities are built on a combined ethos of a public health approach to palliative and end of life care, and community development <sup>56</sup> .

<sup>54</sup> <https://www.equalityhumanrights.com/en/advice-and-guidance/religion-or-belief-discrimination>

<sup>55</sup> [Quality statement 5: Supporting people bereaved or affected by a suspected suicide | Suicide prevention | Quality standards | NICE](#)

<sup>56</sup> [Compassionate Communities UK \(compassionate-communitiesuk.co.uk\)](http://compassionate-communitiesuk.co.uk)

Disenfranchised grief	Where a person's grief may remain hidden because they feel it is not accepted or acknowledged by others <sup>57</sup> .
Grief	Comes from the Latin 'gravare' meaning 'to burden', from gravis, meaning 'heavy'. Use of the term over time has related to hardship, suffering, mental pain, injustice (aggrieved), afflicted, sorrow.
Health Inequalities	Health inequalities are avoidable, unfair and systematic differences in health between different groups of people. Inequalities might be based on socio-economic factors (eg: income); geography; specific characteristics (eg: ethnicity); and social exclusion, and the effects of inequality are multiplied for those with more than one type of disadvantage <sup>58</sup> .
Intersectionality	The concept of intersectionality describes the ways in which systems of inequality based on gender, race, ethnicity, sexual orientation, gender identity, disability, class and other forms of discrimination 'intersect' to create unique dynamics and effects. For example, when a Muslim woman wearing the Hijab is being discriminated, it would be impossible to dissociate her female from her Muslim identity and to isolate the dimension(s) causing her discrimination <sup>59</sup> .
NICE	National Institute for Health and Clinical Excellence is an organisation that seeks to improve outcomes for people using the NHS and other public health and social care service through the production of evidence-based guidance and quality standards and performance metrics <sup>60</sup> .
Pharmacological Therapies	Pharmacology and therapeutic professionals promote and ensure the safe, economic, and efficient use of medicines or drugs <sup>61</sup> .

<sup>57</sup> [National framework for the delivery of bereavement care \[HTML\] | GOV.WALES](#)

<sup>58</sup> [Health inequalities in a nutshell | The King's Fund \(kingsfund.org.uk\)](#)

<sup>59</sup> [what is intersectionality \(intersectionaljustice.org\)](#)

<sup>60</sup> [National framework for the delivery of bereavement care \[HTML\] | GOV.WALES](#)

<sup>61</sup> [Clinical pharmacology and therapeutics | Health Careers](#)

Post-Traumatic Stress Disorder (PTSD)	Post-Traumatic Stress Disorder (PTSD) can result from traumatic events, either experiencing or witnessing single, repeated or multiple events. People with PTSD will experience avoidance; hyper-arousal; re-experiencing; dissociation; negative alterations in mood and thinking <sup>62</sup> .
Postvention	Activities developed by, with, or for people who have been bereaved by suicide, to support their recovery and to prevent adverse outcomes, including suicide and suicidal ideation <sup>63</sup> .
Psychological therapies	Sometimes referred to as ‘talking therapies’ for mental and emotional problems like stress, anxiety and depression. There are lots of different types of talking therapies which can be one-to-one, in a group, online, over the phone, with families, or with partners <sup>64</sup> .
Spirituality	A consensus on the definition of spirituality is difficult to find, and the understanding and interpretation of spirituality has evolved over time. Descriptions of spirituality include: <ul style="list-style-type: none"> <li>• A sense of seeking the best relationship with ourselves, with others and with what might lie ‘beyond’.</li> <li>• A way to find meaning and purpose in life.</li> <li>• A sense of hope.</li> <li>• A support in times of suffering and loss<sup>65</sup>.</li> </ul>
Suicide	The Office for National Statistics (ONS) includes deaths from international self-harm for persons aged 10 years and over, and deaths caused by injury or poisoning where the intent was undetermined for those aged 15 years and over <sup>66</sup> .
Suicide bereavement	Suicide bereavement is a risk factor for complicated or prolonged grief. Loss by suicide can have serious and lasting psychosocial effects on bereaved individuals and

<sup>62</sup> [Recommendations | Post-traumatic stress disorder | Guidance | NICE](#)

<sup>63</sup> [support after a suicide.pdf \(publishing.service.gov.uk\)](#)

<sup>64</sup> [Types of talking therapy - NHS \(www.nhs.uk\)](#)

<sup>65</sup> <https://www.rcpsych.ac.uk/mental-health/treatments-and-wellbeing/spirituality-and-mental-health>

<sup>66</sup> [Suicides in England and Wales - Office for National Statistics \(ons.gov.uk\)](#)

	communities. Their needs are complex and varied requiring a concerted provision of support <sup>67</sup> .
Tailored support	Support that is focused on the person's individual needs. As well as professional support it could include i) support from trained peers who have been bereaved or affected by a suicide or suspected suicide, ii) adjustments to working patterns or the regime in residential custodial and detention settings, iii) other support identified in bereavement guidance documents focusing specifically on bereavement by suicide <sup>45</sup> .
Traumatic bereavement	Whether a bereavement is traumatic or not relates to the way in which the person affected experiences or understands the death, and the meaning they make of it. It can affect people of any age, and any type of death can result in a traumatic bereavement. It causes distress and difficulties, over and above a more typical grief, that impact everyday life. Sudden deaths, like suicide, can increase the likelihood of traumatic bereavement <sup>68</sup> .
Trauma informed practice	A model that is grounded in and directed by a complete understanding of how trauma exposure affects peoples neurological, biological, psychological and social development <sup>69</sup> .
Vicarious Trauma	A process of change resulting from empathetic engagement with trauma survivors. Anyone who engages empathetically with survivors of traumatic incidents is potentially affected, including health and other front-line professionals <sup>70</sup> .

<sup>67</sup> [Suicide Postvention Service Models and Guidelines 2014–2019: A Systematic Review \(nih.gov\)](#)

<sup>68</sup> [What is Traumatic Bereavement? - UKTC \(uktraumacouncil.org\)](#)

<sup>69</sup> [Trauma-Informed Practice: A Toolkit for Scotland \(www.gov.scot\)](#)

<sup>70</sup> [Vicarious trauma: signs and strategies for coping \(bma.org.uk\)](#)

## Bereavement Liaison Officer

(NB: These workers would be employed as part of an integrated service and would not be employed as isolated single workers).

### Generic Role Descriptor

Salary: c. £25,000 +

### Purpose of the Role

- To make a proactive approach to individuals impacted by a sudden death that could have been a suicide, who are referred to the service via Police, or through self-referral.
- Engage with those affected to establish where they are in their bereavement journey, and for them to express their support needs and vulnerabilities.
- Collaborate with those affected to identify providers who can meet their needs eg: those who can offer practical or emotional support, including citizens advice bureau, government websites, health professionals eg: GP, third sector agencies, immediate sources of support through friends and family, faith or belief groups.
- Support those affected to navigate the different agencies they are likely to encounter, such as the police, mortuary staff, funeral directors and other celebrants, coroner's officers, press/media, and to understand the roles and responsibilities of each of these agencies.
- Support those affected to navigate the ambiguities and uncertainties that often accompany a bereavement journey related to a suspected suicide, and help them to understand the processes involved, and the variability of timelines.
- Provide a timely response, as part of a team or service, with availability in the evenings or on weekends, depending on the urgency of referrals to respond to the needs of those affected.

### Key skills required

- Ability to communicate with individuals, families and groups with compassion, demonstrating sympathy and empathy.
- Demonstrable counselling skills evidenced through experience of working with clients on a one-to-one basis in a therapeutic and multi-disciplinary setting.

- Ability to develop productive relationships and partnerships with key agencies and first responders to engender a compassionate response to those affected by a suicide, and to signpost to the most appropriate service/provision to the needs of the bereaved.

### Knowledge, qualifications, and registrations

- An in-depth understanding of grief and trauma associated with bereavement.
- A thorough understanding of the particular needs of people who have been bereaved following a sudden or unexplained death that may have been a suicide. If specialising in the support of particular groups e.g.: children and young people, people with learning difficulties, refugees or asylum seekers, then the requisite experience and expertise relating to their needs and how they respond to support.
- A degree (or equivalent attainment at level 6<sup>71</sup>) in a relevant area eg: counselling, psychotherapy, psychology and professional membership or accreditation such as BACP (British Association for Counselling and Psychotherapy).
- Local protocols for referrals and record keeping associated with case management.
- A clear understanding of the data protection implications of the work, and how to communicate with the bereaved about the meaning of consent, and how their information will be stored, used, and protected.
- An understanding of the importance of the Welsh language and culture in a bilingual Wales with an appreciation of the Welsh Government's policies and strategies for the language.

### Clinical Supervision and continuing development

- Ensure attendance at regular (monthly or more frequent) clinical/management supervision meetings, engage in self-care regarding one's own resilience and mental and emotional health needs.

---

<sup>71</sup> [What qualification levels mean: England, Wales and Northern Ireland - GOV.UK \(www.gov.uk\)](http://www.gov.uk)

- Contribute to local training and development programmes that might be developed to improve people's understanding of bereavement by suicide.
- Attend opportunities for further learning to ensure confidence, and effective evidence-based practice and raise the need for this to be made available if not accessible.
- Contribute to service evaluation activities and provide insights to inform continual service improvement.

### Compliance with legal and ethical requirements

- Up to date with statutory and mandatory training in information governance, equality and diversity, Welsh language, health and safety, record keeping and risk management, to ensure all practice complies with best practice and due diligence.

Ref: [Job-Description-Suicide-Bereavement-Service-Co-ordinator-Nov-2019-1.pdf](#)  
([every-life-matters.org.uk](http://every-life-matters.org.uk))

Ref: [Bereavement Support Liaison Coordinator - Thames Valley Police \(tal.net\)](#)

Ref: <https://hub.supportaftersuicide.org.uk/standards/>

Potential types of individuals in categories of suicide exposed, affected, bereaved short-term, and bereaved long-term

Exposed	Affected	Suicide-bereaved, short-term	Suicide-bereaved, long-term
<ul style="list-style-type: none"> <li>• First responders</li> <li>• Anyone who finds the deceased</li> <li>• Family members</li> <li>• Therapists</li> <li>• Close friends</li> <li>• Healthcare workers</li> <li>• Community members</li> <li>• School communities</li> <li>• Workplace acquaintances</li> <li>• Fans of celebrities</li> <li>• Community groups (eg: sporting clubs)</li> <li>• Rural or close-knit communities</li> </ul>	<ul style="list-style-type: none"> <li>• First responders</li> <li>• Anyone who finds the deceased</li> <li>• Family members</li> <li>• Therapists</li> <li>• Close friends</li> <li>• Classmates</li> <li>• Co workers</li> <li>• Team members</li> <li>• Neighbours</li> </ul>	<ul style="list-style-type: none"> <li>• Family members</li> <li>• Therapists</li> <li>• Friends</li> <li>• Close work colleagues</li> </ul>	<ul style="list-style-type: none"> <li>• Family members</li> <li>• Therapists</li> <li>• Close friends</li> </ul>

Source: [The Continuum of Survivorship: Definitional Issues in the Aftermath of Suicide \(wsimg.com\)](http://www.wsimg.com)



## Consultation Response Form

Your name:

Organisation (if applicable):

email / telephone number:

Your address:

### Consultation questions

1. Is it clear who this guidance is for and why it has been developed?

YES / NO

If 'NO', please tell us how this can be made clearer

2. Do you think the guidance document captures the needs of people exposed, affected, or bereaved by a suspected suicide?

YES / NO

If 'NO', please tell us how this can be achieved

**3.** Do you think the proposals within the guidance will improve the way that we support people exposed, affected, or bereaved by suspected suicide in the right way?

YES / NO

If 'NO', what do you think needs to be considered for the right improvements to be made

**4.** Are the responsibilities across all areas of the system made clear in the guidance?

YES / NO

If 'NO', what needs to be made clearer

**5.** Are there any other frameworks, models or policies that should be cross-referenced within this guidance that are currently missing?

YES / NO

If 'YES', can you list them below, and if known, provide a link to the agency or individual who we can engage with

6. Is it clear how the implementation of the guidance will be monitored and against which outcomes, to demonstrate improvement?

YES / NO

If 'NO', tell us what additional information is needed to provide these assurances?

7. We would like to know your views on the effects that *the guidance for responding to people bereaved, exposed, or affected by suicide* would have on the Welsh language, specifically on opportunities for people to use Welsh and on treating the Welsh language no less favourably than English.

What effects do you think there would be? How could positive effects be increased, or negative effects be mitigated?

8. Please also explain how you believe the proposed guidance for responding to people bereaved, exposed, or affected by suicide could be strengthened to increase the positive effects on opportunities for people to use the Welsh language and on treating the Welsh language no less favourably than the English language, and no adverse effects on opportunities for people to use the Welsh language and on treating the Welsh language no less favourably than the English language.

9. We have asked a number of specific questions. If you have any related issues which we have not specifically addressed, please use this space to report them:

Please enter here:

**Responses to consultations are likely to be made public, on the internet or in a report. If you would prefer your response to remain anonymous, please tick here:**

