

<b>Data and Business Rules – Palliative Care Indicator Set</b>					
Author	NHS Wales Informatics Service	Version No	2019-20 1.0	Version Date	28/10/2019

## **New GMS Contract QAIF Implementation**

### **Dataset and Business Rules**

-

### **Palliative Care Indicator Set (PC)**

### **Wales**

**Amendment History:**

<b>Version</b>	<b>Date</b>	<b>Amendment History</b>
25.0W	05-June-2013	Signed off Welsh Government
26.0W	14-August-2013	April 2013 Read Code Release
27.0W		October 2013 Read Code Release
28.0W	27-June-2014	Business Rules update
30.0W	20-November-2014	October 2014 Read Code Release
2015-16 1.0W	01-July-2015	Business Rules update
2015-16 2.0W	04-Dec-2015	2015/16 October Business rules update
2016-17 1.0W	09-June-2015	2016-17 Business Rules update
2017-18 1.0W	01-Jul-2017	2017-18 Business Rules update
2018-19 1.0W	23-Jul-2018	2018-19 Business Rules update
2019-20 1.0	23-Oct-2019	2019-20 Business Rules update

**New GMS contract QAIF framework implementation**

## Dataset and business rules – Palliative Care indicator set

Notes

- 1) The specified dataset and rulesets are to support analysis of extracted data to reflect the status at a specified point in time of patient records held by the practice. In the context of this document that specified time point is designated the "Reference date" and identified by the abbreviation "REF\_DAT". In interpreting the specification REF\_DAT should be taken to mean midnight of the preceding day (i.e. a REF\_DAT of 01.10.2020 equates to midnight on 30.09.2020).
- 2) To support accurate determination of the population of patients to which the indicators should relate (the denominator population) these rulesets have been compiled with a prior assumption that the reference date is specified prior to extraction of data and is available for computation in the data extraction routine. The reference date will also be required to be included in the data extraction to support processing of rules that are dependent upon it. It is possible that an alternative approach could be adopted in which rules to determine the denominator population by registration status would be applied as a component of rule processing. If this second approach were to be adopted it would be essential to specify default time criteria for determining the registration characteristics of the denominator population during the data extraction process. Additionally there would be a requirement to supplement the dataset and rulesets to support identification of the appropriate denominator population.
- 3) Clinical codes quoted are (where known) from the April 2016 release of Read codes version 2. The codes are shown within the document as a 5 character value to show that the Read Code is for a 5-Byte system.
  - i) Where a "%" wildcard is displayed, the Read Code is filled to 5 characters with full stops. When implementing a search for the Read Code, only the non full-stop values should be used in the search, For example, a displayed Read Code of c1...% should be implemented as a search for c1%, i.e. should find c1 and any of its children.
  - ii) Where a range of Read codes are displayed, the Read Code is filled to 5 characters with full-stops. When implementing the search, only the non full-stop values should be used in the search, For example, a displayed Read Code range of G342. – G3z.. should find all codes between G342 and G3z (including any children where applicable).
- 4) Datasets comprise a specification of two elements:
  - a) Patient selection criteria. These are the criteria used to determine the patient population against whom the indicators are to be applied.
    - i) Registration status. This determines the current patient population at the practice.
    - ii) Diagnostic code status. This determines the current patient population (register size) for a given clinical condition.

There are three scenarios within the diagnostic code status, these are where

- There is a single morbidity patient population (disease register) required (e.g. within CHD). Where this occurs, a single set of rules for identifying the patient population is provided.
- There is a single co-morbidity patient population (disease register) required (e.g. within Flu). Where this occurs, a set of rules for **each** morbidity is provided. A patient **must** only be included in the patient population (register size) **once**.
- There are multiple patient populations (disease registers) required (e.g. within Heart Failure). Where this occurs, a single set of rules for **each** patient population is provided.

Where this occurs, details of which register population applies to which indicator(s) are provided. Where the register size applies to an indicator, this is the base denominator population for that indicator.

- b) Clinical data extraction criteria. These are the data items to be exported from the clinical system for subsequent processing to calculate points allocations. They are expressed in the form of a MIQUEST "Report-style" extract of data.

The record of each patient that satisfies the appropriate selection criteria for a given indicator will be interrogated against the clinical data criteria (also appropriate to that indicator). A report of the data contained in the selected records will be exported in the form of a fixed-format tabular report. Each selected patient will be represented by a single row in the report, unless the operator "ALL" is used.

The "ALL" statement is used within the Qualifying Criteria for the Clinical data extraction criteria. Typically the selection for a READCODE\_COD cluster field is based on a date of "LATEST" or "EARLIEST". The "ALL" statement is used to select all occurrences of any of the codes within the READCODE\_COD cluster. It selects an array of instances, of which there may be more than one for each patient.

Rows will contain a fixed number of fields each containing a single data item. The number of fields in each row and their data content will be determined by the clinical data criteria. Data items that match the clinical data criteria will be exported in the relevant field of the report. Where there is no data to match a specific clinical criterion a null field will be exported.

- 5) Rulesets are specified as multiple rules to be processed sequentially. Processing of rules should terminate as soon as a "Reject" or "Select" condition is encountered.
- 6) Rules are expressed as logical statements that evaluate as either "true" or "false" The following operators are required to be supported:

- |                     |        |
|---------------------|--------|
| a) > (greater than) | e) AND |
| b) < (less than)    | f) OR  |
| c) = (equal to)     | g) NOT |
| d) ≠ (not equal to) |        |

- 7) Where date criteria are specified with intervals of multiples of months or years these should be interpreted as calendar months or calendar years.

**Dataset Specification****1) Patient selection criteria:**

## a) Registration status

<i>Current registration status</i>	<i>Qualifying criteria</i>
Currently registered for GMS	Most recent registration date < (REF_DAT)
Previously registered for GMS	Any sequential pairing of registration date and deregistration date where both of the following conditions are met: registration date < (REF_DAT); and deregistration date >= (REF_DAT)

b) Diagnostic code and demographic status

<i>Code criteria</i>	<i>Qualifying diagnostic codes</i>	<i>Time criteria</i>
<i>Included</i>	Read codes v2	Latest < (REF_DAT) AND >= 01.04.2008
	1Z01. 2JE.. 8BA2. 8BAP. 8BAS. 8BAT. 8BAe. 8BJ1. 8CM1.% (excluding 8CM15) 8CM4., 8CME., 8CMj. 8CMk. 8H6A. 8H7L., 8H7g., 8HH7. 8IEE., 9EB5., 9Ng7. 9NNq. 9NNr. 9NNs. ZV57C, 8CMQ., 9NgD. 9G8.. 9c0P. 9c0N. 8CMW3 9K9.. 9367. 9c0L0 9c0M. 9NNd. 8Cmb. 8B2a. 9NNf0 8CMg. 38QH. 38QK. 38Vb. 38Vd.-38Vi. 38VY. 2Jf.. 2Jg..	
	<i>(Diagnostic codes for palliative care)</i>	
<i>Excluded</i>	Read codes v2	Latest < (REF_DAT) AND > Date of diagnostic code above
	9NSY., 9NgzS	
	<i>(Codes for palliative care not indicated)</i>	

## **2) Clinical data extraction criteria**

There are no fractional indicators for the Palliative care indicator set; therefore there is no Clinical data extraction criteria defined.



### **Indicator rulesets**

Indicator PC001: The contractor establishes and maintains a register of all patients in need of palliative care/support irrespective of age.

The terms of this indicator will be satisfied if the practice is able to produce a data extraction according to the above criteria.

No numerator or denominator determination is required.