




Morriston Hospital sketch masterplan





### Nucleus Template: Typical ward refurbishment solutions

Solutions shown below are not compliant with WHBN / WHTM in terms of space standards or allowances for support accommodation









#### Existing plan:

56 beds 8 x 6 bed bays 8 x single bedrooms (14%)

#### Option 1:

36 beds 8 x 4 bed bays 3 x single bedrooms (8%)


#### Option 2:

33 beds 6 x 4 bed bays 9 x single bedrooms (27%)

#### Option 3:


29 beds 4 x 4 bed bays 13 x single bedrooms (45%)

Nucleus Template: Typical ward refurbishment solution – 50% single beds



- Solution based on Welsh Health Building Notes
- Nested en-suite arrangement
- 24 beds per ward
  - 3 x 4 bed bays
  - 12 x single bedrooms
- 50% single rooms
- 3 nursing units 8 beds per unit
- Additional clinical support services
- Fire escape strategy requires further consideration
- Additional ventilation requirements WHTM 03-01
- Natural light to four-bed bays
- Existing circa 10 nucleus templates (based on layout plans)
- Circa 560 inpatient beds (excluding burns & CCU)
- Proposed bed numbers based on 50% singles 240 beds
- New decant facility Six x 32 bed wards 192 beds
- Further work required to consider impact of phased refurbishment on roof replacement and services infrastructure upgrade works





Singleton Hospital sketch masterplan – short term Ward block cladding replacement (ongoing) Existing Rehab/OPD expanded Medical records relocated theatres oncology Pathology relocated (regional facility) New theatre block (3 theatres and recovery

Singleton Hospital sketch masterplan – long term

