

Llywodraeth Cymru Welsh Government

					% Reduction (See	
	SEVERITY	EXTENT	PERMANENCE	1st Occurrence	1 <sup>st</sup> Repetition	2nd Repetiti
	VERY LOW	1	Rectifiable 1	Warning Letter	1	100% :
			Rectifiable 2	Warning Letter	2	
	LOW	1	Rectifiable1	1	3	
			Rectifiable2	2	6	
			Permanent	4	12	
		2	Rectifiable1	2	6	
			Rectifiable2	4	12	
			Permanent	8	24	
		3	Rectifiable1	3	9	
			Rectifiable2	6	18	
			Permanent	12	36	ne
		4	Rectifiable1	4	12	INTENTIONAL 100% and exclude for the remainder of the year.
			Rectifiable2	8	24	
			Permanent	16	48	
Ζ	MEDIUM	1	Rectifiable1	2	6	
ī			Rectifiable2	4	12	
)			Permanent	8	24	
5		2	Rectifiable1	3	9	
			Rectifiable2	6	18	
Ę			Permanent	12	38	
) П		3	Rectifiable1	5	15	
••			Rectifiable2	10	30	
			Permanent	20	60	
		4	Rectifiable1	7	21	
			Rectifiable2	14	42	
			Permanent	28	84	of :
	HIGH	1	Rectifiable1	3	9	the year.
			Rectifiable2	6	18	
			Permanent	12	36	
		2	Rectifiable1	5	15	
			Rectifiable2	10	30	-
			Permanent	20	60	
		3	Rectifiable1	7	21	
			Rectifiable2	14	42	
			Permanent	28	84	
			Rectifiable1	10	30	
		4	Rectifiable2	20	60	
			Permanent	40	100	



Llywodraeth Cymru Welsh Government

DESCRIPTIONS							
Criteria - Definition	Level	Range					
SEVERITY: Verifiable Standard OR the	VERY LOW	Warning Letter					
percentage proportion of a breached prescription in relation to all of the same prescription under a Commitment. This	LOW	Verifiable Standard OR 0% to 10%, where measurable					
percentage is matched to the relevant SEVERITY level on the matrix or as set in the verifiable standards.	MEDIUM	Verifiable Standard OR >10% to 50%, where measurable					
	HIGH	Verifiable Standard OR >50%, where measurable					
EXTENT: Verifiable Standard OR the percentage proportion of a breached prescription in	1	Verifiable Standard OR 0% to 10%, where measurable					
relation to the whole Commitment area. This percentage is matched to the relevant EXTENT level on the matrix.	2	Verifiable Standard OR >10% to 25%, where measurable					
	3	Verifiable Standard OR >25% to 50%, where measurable					
	4	Verifiable Standard OR >50%, where measurable					
DURATION:	RECTIFIABLE 1	Can be rectified within 6 weeks.					
Whether a breach can be rectified within a given timescale or not	RECTIFIABLE 2	Can be rectified but not necessarily within the contract period.					
	PERMANENT	Cannot be rectified.					