



Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Veolia Environmental Services  
Lindon Road  
Brownhills  
Walsall  
West Midlands  
WS8 7BB

**Attention:** Joel Candlin

## CERTIFICATE OF ANALYSIS

**Date of report Generation:** 05 October 2021  
**Customer:** Veolia Environmental Services  
**Sample Delivery Group (SDG):** 210928-28  
**Your Reference:**  
**Location:** Maendy Landfill  
**Report No:** 615908  
**Order Number:** 4200053189

We received 10 samples on Tuesday September 28, 2021 and 10 of these samples were scheduled for analysis which was completed on Tuesday October 05, 2021. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden.

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

**Sonia McWhan**

Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

SDG: 210928-28  
Client Ref.:

Report Number: 615908  
Location: Maendy Landfill

Superseded Report:

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
25055016	101			27/09/2021
25055017	102			27/09/2021
25055018	103			27/09/2021
25055019	104			27/09/2021
25055020	105			27/09/2021
25055021	106			27/09/2021
25055022	107			27/09/2021
25055023	108			27/09/2021
25055024	109			27/09/2021
25055025	110			27/09/2021

Only received samples which have had analysis scheduled will be shown on the following pages.



# CERTIFICATE OF ANALYSIS

Validated

SDG: 210928-28

Report Number: 615908

Superseded Report:

Client Ref.:

Location: Maendy Landfill

**Results Legend**

- X Test
- N No Determination Possible

**Sample Types -**

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
25055016	101			1000ml glass bottle (ALE220) H2SO4 (ALE244) HNO3 Filtered (ALE204) Via (ALE297) GW	GW
25055017	102			1000ml glass bottle (ALE220) H2SO4 (ALE244) HNO3 Filtered (ALE204) Via (ALE297) GW	GW
25055018	103			1000ml glass bottle (ALE220) H2SO4 (ALE244) HNO3 Filtered (ALE204) Via (ALE297) GW	GW
25055019	104			1000ml glass bottle (ALE220) H2SO4 (ALE244) HNO3 Filtered (ALE204) Via (ALE297) GW	GW
25055022	107			1000ml glass bottle (ALE220) H2SO4 (ALE244) HNO3 Filtered (ALE204) Via (ALE297) GW	GW

Analyte	All	NDPs: 0 Tests: 7	25055016	25055017	25055018	25055019	25055022
Acid Herbicides by GCMS	All	NDPs: 0 Tests: 7	X	X	X	X	X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 7		X	X	X	X
PCB Congeners - Aqueous (W)	All	NDPs: 0 Tests: 7	X	X	X	X	X
Pesticides (Suite I) by GCMS	All	NDPs: 0 Tests: 7	X	X	X	X	X
Pesticides (Suite II) by GCMS	All	NDPs: 0 Tests: 7	X	X	X	X	X
Phenols by HPLC (W)	All	NDPs: 0 Tests: 7		X	X	X	X
SVOC MS (W) - Aqueous	All	NDPs: 0 Tests: 7	X	X	X	X	X
VOC MS (W)	All	NDPs: 0 Tests: 7		X	X	X	X

25055025	110			Vial (ALE297)	GW														X			
				HNO3 Filtered (ALE204)	GW				X													
				H2SO4 (ALE244)	GW																	
				1000ml glass bottle (ALE220)	GW				X													
				Vial (ALE297)	GW																	X
25055023	108			HNO3 Filtered (ALE204)	GW																	
				H2SO4 (ALE244)	GW																	
				1000ml glass bottle (ALE220)	GW				X													
25055022	107			Vial (ALE297)	GW														X			
				1000ml glass bottle (ALE220)	GW																	
				Vial (ALE297)	GW				X													



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210928-28  
**Client Ref.:**

**Report Number:** 615908  
**Location:** Maendy Landfill

**Superseded Report:**

Results Legend			Customer Sample Ref.		101	102	103	104	107	108
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.flit Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-4*\$@ Sample deviation (see appendix)	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		101	102	103	104	107	108		
			Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)
			27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021
			28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021
			210928-28	210928-28	210928-28	210928-28	210928-28	210928-28	210928-28	210928-28
			25055016	25055017	25055018	25055019	25055022	25055023	25055023	25055023
Component	LOD/Units	Method								
Arsenic (diss)	<0.5 µg/l	TM152	1.21	<0.5	<0.5	30.8	1.08	2.36	#	#
Zinc (diss)	<1 µg/l	TM152	31.3	42	17.1	19.6	12.8	8.62	#	#
PCB congener 28	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 52	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 101	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 118	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 138	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 153	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 180	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
Sum of detected EC7 PCB's	<0.105 µg/l	TM197	<0.105	<0.105	<0.105	<0.105	<0.105	<0.105		
PCB congener 77	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 81	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 105	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 114	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 123	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 126	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 156	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 157	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 167	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 169	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
PCB congener 189	<0.015 µg/l	TM197	<0.015	<0.015	<0.015	<0.015	<0.015	<0.015		
Resorcinol	<0.01 mg/l	TM259	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
Catechol	<0.01 mg/l	TM259	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
Phenol	<2 µg/l	TM259	<2	<2	<2	70	520	410	#	#
Cresols	<6 µg/l	TM259	<6	10	<6	530	50	20	#	#
Xylenols	<8 µg/l	TM259	<8	<8	<8	20	10	<8	#	#
1-Naphthol	<0.01 mg/l	TM259	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
2,3,5-Trimethylphenol	<0.003 mg/l	TM259	<0.003	<0.003	<0.003	<0.003	<0.003	<0.003	#	#
2-Isopropylphenol	<0.006 mg/l	TM259	<0.006	<0.006	<0.006	0.02	<0.006	<0.006	#	#
Phenols, Total Detected 8 Speciated	<0.045 mg/l	TM259	<0.045	<0.045	<0.045	0.64	0.58	0.43		
Trifluralin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
HCH alpha	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
HCH gamma	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210928-28  
**Client Ref.:**

**Report Number:** 615908  
**Location:** Maendy Landfill

**Superseded Report:**

Results Legend			Customer Sample Ref.	101	102	103	104	107	108
# ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-4*§@ Sample deviation (see appendix)	Depth (m)	Sample Type							
Date Sampled	Date Sampled	Date Sampled	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021
Sample Time	Sample Time	Sample Time							
Date Received	Date Received	Date Received	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021
SDG Ref	SDG Ref	SDG Ref	210928-28	210928-28	210928-28	210928-28	210928-28	210928-28	210928-28
Lab Sample No.(s)	Lab Sample No.(s)	Lab Sample No.(s)	25055016	25055017	25055018	25055019		25055022	25055023
AGS Reference	AGS Reference	AGS Reference							
Component	LOD/Units	Method							
Heptachlor	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Aldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
HCH beta	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Isodrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
HCH delta	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor epoxide	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
o,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulfan I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
trans-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
cis-Chlordane	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
p,p'-DDE	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Dieldrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
o,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Endrin	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
o,p'-DDT	<0.01 µg/l	TM343	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
p,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulfan II	<0.02 µg/l	TM343	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
p,p'-DDT	<0.01 µg/l	TM343	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
o,p'-Methoxychlor	<0.01 µg/l	TM343	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
p,p'-Methoxychlor	<0.01 µg/l	TM343	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Endosulfan Sulphate	<0.02 µg/l	TM343	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Permethrin I	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Permethrin II	<0.01 µg/l	TM343	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
1,3,5-Trichlorobenzene	<0.01 µg/l	TM344	<0.01	<0.03	<0.01	<0.17	<0.02	<0.045	<0.045
Hexachlorobutadiene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
1,2,4-Trichlorobenzene	<0.01 µg/l	TM344	<0.01	<0.04	<0.01	0.341	0.0802	<0.02	<0.02
1,2,3-Trichlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Dichlorvos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Dichlobenil	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Mevinphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Tecnazene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Hexachlorobenzene	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Demeton-S-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210928-28  
**Client Ref.:**

**Report Number:** 615908  
**Location:** Maendy Landfill

**Superseded Report:**

Results Legend			Customer Sample Ref.	101	102	103	104	107	108
# ISO17025 accredited. M MCERTS accredited. sq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-4*\$@ Sample deviation (see appendix)	Depth (m)								
Sample Type			Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)
Date Sampled			27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021
Sample Time									
Date Received			28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021
SDG Ref			210928-28	210928-28	210928-28	210928-28	210928-28	210928-28	210928-28
Lab Sample No.(s)			25055016	25055017	25055018	25055019		25055022	25055023
AGS Reference									
Component	LOD/Units	Method							
Phorate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Diazinon	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Triallate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Atrazine	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Simazine	<0.01 µg/l	TM344	<0.01	0.127	<0.01	<0.1	0.198	<0.02	<0.02
Disulfoton	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Propetamphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Chlorpyrifos-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Dimethoate	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Pirimiphos-methyl	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Chlorpyrifos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Methyl Parathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Malathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Fenthion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Fenitrothion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Triadimefon	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Pendimethalin	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Parathion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Chlorfenvinphos	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
trans-Chlordane	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
cis-Chlordane	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Ethion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.1	<0.02	<0.02	<0.02
Carbophenothion	<0.01 µg/l	TM344	<0.01	<0.01	<0.01	<0.2	<0.04	<0.04	<0.04
Triazophos	<0.01 µg/l	TM344	<0.01	<0.02	<0.01	<0.2	<0.04	<0.04	<0.04
Phosalone	<0.01 µg/l	TM344	<0.01	<0.02	<0.01	<0.2	<0.04	<0.04	<0.04
Azinphos-methyl	<0.02 µg/l	TM344	<0.02	<0.04	<0.02	<0.4	<0.08	<0.08	<0.08
Azinphos ethyl	<0.02 µg/l	TM344	<0.02	<0.04	<0.02	<0.4	<0.08	<0.08	<0.08
Dinitro-o-cresol	<0.1 µg/l	TM411	<0.1	<0.2	<0.1	<1	<0.5	<0.5	<0.5
Clopyralid	<0.04 µg/l	TM411	<0.04	<0.08	<0.04	<0.4	<0.2	<0.2	<0.2
MCPA	<0.05 µg/l	TM411	<0.05	<0.1	<0.05	<0.5	<0.25	<0.25	<0.25
MCPP	<0.04 µg/l	TM411	<0.04	<0.08	<0.04	<0.4	<0.2	<0.2	<0.2
Dicamba	<0.04 µg/l	TM411	<0.04	<0.08	<0.04	<0.4	<0.2	<0.2	<0.2
MCPB	<0.05 µg/l	TM411	<0.05	<0.1	<0.05	<0.5	<0.25	<0.25	<0.25



# CERTIFICATE OF ANALYSIS

Validated

SDG: 210928-28  
Client Ref.:

Report Number: 615908  
Location: Maendy Landfill

Superseded Report:

Results Legend			Customer Sample Ref.	101	102	103	104	107	108			
<p># ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. diss.filn Dissolved / filtered sample. tot.unfilt Total / unfiltered sample.</p> <p>* Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-4*\$@ Sample deviation (see appendix)</p>			Depth (m)									
			Sample Type	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)		
			Date Sampled	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021		
			Sample Time									
			Date Received	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021		
			SDG Ref	210928-28	210928-28	210928-28	210928-28	210928-28	210928-28	210928-28		
			Lab Sample No.(s)	25055016	25055017	25055018	25055019	25055022	25055023			
			AGS Reference									
			Component	LOD/Units	Method							
			2,4-DB	<0.1 µg/l	TM411	<0.1	<0.2	<0.1	<1	<0.5	<0.5	
2,3,6-Trichlorobenzoic acid	<0.05 µg/l	TM411	<0.05	<0.1	<0.05	<0.5	<0.25	<0.25				
DCCP	<0.1 µg/l	TM411	<0.1	<0.2	<0.1	<1	<0.5	<0.5				
Triclopyr	<0.05 µg/l	TM411	<0.05	<0.1	<0.05	<0.5	<0.25	<0.25				
Fenoprop (Silvex)	<0.1 µg/l	TM411	<0.1	<0.2	<0.1	<1	<0.5	<0.5				
2,4-Dichlorophenoxyacetic acid	<0.05 µg/l	TM411	<0.05	<0.1	<0.05	<0.5	<0.25	<0.25				
2,4,5-Trichlorophenoxyacetic acid	<0.05 µg/l	TM411	<0.05	<0.1	<0.05	<0.5	<0.25	<0.25				
Bromoxnyl	<0.04 µg/l	TM411	<0.04	<0.08	<0.04	<0.4	<0.2	<0.2				
Benzolin	<0.04 µg/l	TM411	<0.04	<0.08	<0.04	<0.8	<0.2	<0.4				
loxynil	<0.05 µg/l	TM411	<0.05	<0.1	<0.05	<0.5	<0.25	<0.25				
Pentachlorophenol	<0.04 µg/l	TM411	<0.04	<0.08	<0.04	<0.8	<0.2	<0.4				
Fluoroxypypr	<0.1 µg/l	TM411	<0.1	<0.2	<0.1	<2	<0.5	<1				





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210928-28  
**Client Ref.:**

**Report Number:** 615908  
**Location:** Maendy Landfill

**Superseded Report:**

Results Legend		Customer Sample Ref.					
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.flit Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-4*\$@ Sample deviation (see appendix)	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	110	Ground Water (GW)				
Component	LOD/Units	Method					
Arsenic (diss)	<0.5 µg/l	TM152	<0.5	#			
Zinc (diss)	<1 µg/l	TM152	14.8	#			
PCB congener 28	<0.015 µg/l	TM197	<0.015				
PCB congener 52	<0.015 µg/l	TM197	<0.015				
PCB congener 101	<0.015 µg/l	TM197	<0.015				
PCB congener 118	<0.015 µg/l	TM197	<0.015				
PCB congener 138	<0.015 µg/l	TM197	<0.015				
PCB congener 153	<0.015 µg/l	TM197	<0.015				
PCB congener 180	<0.015 µg/l	TM197	<0.015				
Sum of detected EC7 PCB's	<0.105 µg/l	TM197	<0.105				
PCB congener 77	<0.015 µg/l	TM197	<0.015				
PCB congener 81	<0.015 µg/l	TM197	<0.015				
PCB congener 105	<0.015 µg/l	TM197	<0.015				
PCB congener 114	<0.015 µg/l	TM197	<0.015				
PCB congener 123	<0.015 µg/l	TM197	<0.015				
PCB congener 126	<0.015 µg/l	TM197	<0.015				
PCB congener 156	<0.015 µg/l	TM197	<0.015				
PCB congener 157	<0.015 µg/l	TM197	<0.015				
PCB congener 167	<0.015 µg/l	TM197	<0.015				
PCB congener 169	<0.015 µg/l	TM197	<0.015				
PCB congener 189	<0.015 µg/l	TM197	<0.015				
Resorcinol	<0.01 mg/l	TM259	<0.01				
Catechol	<0.01 mg/l	TM259	<0.01				
Phenol	<2 µg/l	TM259	<2	#			
Cresols	<6 µg/l	TM259	<6	#			
Xylenols	<8 µg/l	TM259	<8	#			
1-Naphthol	<0.01 mg/l	TM259	<0.01				
2,3,5-Trimethylphenol	<0.003 mg/l	TM259	<0.003	#			
2-Isopropylphenol	<0.006 mg/l	TM259	<0.006	#			
Phenols, Total Detected 8 Speciated	<0.045 mg/l	TM259	<0.045				
Trifluralin	<0.01 µg/l	TM343	<0.01				
HCH alpha	<0.01 µg/l	TM343	<0.01				
HCH gamma	<0.01 µg/l	TM343	<0.01				



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210928-28  
**Client Ref.:**

**Report Number:** 615908  
**Location:** Maendy Landfill

**Superseded Report:**

<b>Results Legend</b> # ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. dis.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed 1-4# Sample deviation (see appendix)		<b>Customer Sample Ref.</b>  Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	110				
<b>Component</b>	<b>LOD/Units</b>	<b>Method</b>					
Heptachlor	<0.01 µg/l	TM343	<0.01				
Aldrin	<0.01 µg/l	TM343	<0.01				
HCH beta	<0.01 µg/l	TM343	<0.01				
Isodrin	<0.01 µg/l	TM343	<0.01				
HCH delta	<0.01 µg/l	TM343	<0.01				
Heptachlor epoxide	<0.01 µg/l	TM343	<0.01				
o,p'-DDE	<0.01 µg/l	TM343	<0.01				
Endosulfan I	<0.01 µg/l	TM343	<0.01				
trans-Chlordane	<0.01 µg/l	TM343	<0.01				
cis-Chlordane	<0.01 µg/l	TM343	<0.01				
p,p'-DDE	<0.01 µg/l	TM343	<0.01				
Dieldrin	<0.01 µg/l	TM343	<0.01				
o,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01				
Endrin	<0.01 µg/l	TM343	<0.01				
o,p'-DDT	<0.01 µg/l	TM343	<0.02				
p,p'-DDD (TDE)	<0.01 µg/l	TM343	<0.01				
Endosulfan II	<0.02 µg/l	TM343	<0.02				
p,p'-DDT	<0.01 µg/l	TM343	<0.02				
o,p'-Methoxychlor	<0.01 µg/l	TM343	<0.02				
p,p'-Methoxychlor	<0.01 µg/l	TM343	<0.02				
Endosulfan Sulphate	<0.02 µg/l	TM343	<0.02				
Permethrin I	<0.01 µg/l	TM343	<0.01				
Permethrin II	<0.01 µg/l	TM343	<0.01				
1,3,5-Trichlorobenzene	<0.01 µg/l	TM344	<0.01				
Hexachlorobutadiene	<0.01 µg/l	TM344	<0.01				
1,2,4-Trichlorobenzene	<0.01 µg/l	TM344	<0.01				
1,2,3-Trichlorobenzene	<0.01 µg/l	TM344	<0.01				
Dichlorvos	<0.01 µg/l	TM344	<0.01				
Dichlobenil	<0.01 µg/l	TM344	<0.01				
Mevinphos	<0.01 µg/l	TM344	<0.01				
Tecnazene	<0.01 µg/l	TM344	<0.01				
Hexachlorobenzene	<0.01 µg/l	TM344	<0.01				
Demeton-S-methyl	<0.01 µg/l	TM344	<0.01				



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210928-28  
**Client Ref.:**

**Report Number:** 615908  
**Location:** Maendy Landfill

**Superseded Report:**

<b>Results Legend</b> # ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. dis.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed 1-4# Sample deviation (see appendix)		<b>Customer Sample Ref.</b>  Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	110				
<b>Component</b>	<b>LOD/Units</b>	<b>Method</b>					
Phorate	<0.01 µg/l	TM344	<0.01				
Diazinon	<0.01 µg/l	TM344	<0.01				
Triallate	<0.01 µg/l	TM344	<0.01				
Atrazine	<0.01 µg/l	TM344	<0.01				
Simazine	<0.01 µg/l	TM344	<0.01				
Disulfoton	<0.01 µg/l	TM344	<0.01				
Propetamphos	<0.01 µg/l	TM344	<0.01				
Chlorpyrifos-methyl	<0.01 µg/l	TM344	<0.01				
Dimethoate	<0.01 µg/l	TM344	<0.01				
Pirimiphos-methyl	<0.01 µg/l	TM344	<0.01				
Chlorpyrifos	<0.01 µg/l	TM344	<0.01				
Methyl Parathion	<0.01 µg/l	TM344	<0.01				
Malathion	<0.01 µg/l	TM344	<0.01				
Fenthion	<0.01 µg/l	TM344	<0.01				
Fenitrothion	<0.01 µg/l	TM344	<0.01				
Triadimefon	<0.01 µg/l	TM344	<0.01				
Pendimethalin	<0.01 µg/l	TM344	<0.01				
Parathion	<0.01 µg/l	TM344	<0.01				
Chlorfenvinphos	<0.01 µg/l	TM344	<0.01				
trans-Chlordane	<0.01 µg/l	TM344	<0.01				
cis-Chlordane	<0.01 µg/l	TM344	<0.01				
Ethion	<0.01 µg/l	TM344	<0.01				
Carbophenothion	<0.01 µg/l	TM344	<0.01				
Triazophos	<0.01 µg/l	TM344	<0.01				
Phosalone	<0.01 µg/l	TM344	<0.01				
Azinphos-methyl	<0.02 µg/l	TM344	<0.02				
Azinphos ethyl	<0.02 µg/l	TM344	<0.02				
Dinitro-o-cresol	<0.1 µg/l	TM411	<0.2				
Clopyralid	<0.04 µg/l	TM411	<0.08				
MCPA	<0.05 µg/l	TM411	<0.1				
MCPP	<0.04 µg/l	TM411	<0.08				
Dicamba	<0.04 µg/l	TM411	<0.08				
MCPB	<0.05 µg/l	TM411	<0.1				





# CERTIFICATE OF ANALYSIS

Validated

SDG: 210928-28

Report Number: 615908

Superseded Report:

Client Ref.:

Location: Maendy Landfill

## SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.	101	102	103	104	107	108
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filter Dissolved / filtered sample. tot.unfiltr Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-4* @ Sample deviation (see appendix)			Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	101 Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055016	102 Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055017	103 Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055018	104 Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055019	107 Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055022	108 Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055023
Component	LOD/Units	Method							
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<1	<1	<1	12.5	1.68	<4	
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
2-Chlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
2-Methylphenol (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
2-Nitroaniline (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
2-Nitrophenol (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
3-Nitroaniline (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
4-Chloroaniline (aq)	<1 µg/l	TM176	<1	<1	<1	47.3	2.51	<4	
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
4-Methylphenol (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
4-Nitroaniline (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
4-Nitrophenol (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Azobenzene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Acenaphthylene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	2.13	<4	
Acenaphthene (aq)	<1 µg/l	TM176	<1	<1	<1	21.4	124	15.6	
Anthracene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	2.99	<4	
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	<2	<2	<2	<20	<2	<8	
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Benzo(a)anthracene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	



# CERTIFICATE OF ANALYSIS

Validated

SDG: 210928-28  
Client Ref.:

Report Number: 615908  
Location: Maendy Landfill

Superseded Report:

## SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.	101	102	103	104	107	108
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filter Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed 1-4*# Sample deviation (see appendix)			Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	101 Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055016	102 Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055017	103 Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055018	104 Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055019	107 Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055022	108 Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055023
Component	LOD/Units	Method							
Benzo(b)fluoranthene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Benzo(a)pyrene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Benzo(g,h,i)perylene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Carbazole (aq)	<1 µg/l	TM176	<1	<1	<1	<10	1.01	<4	
Chrysene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Dibenzofuran (aq)	<1 µg/l	TM176	<1	<1	<1	<10	4.84	<4	
n-Dibutyl phthalate (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Diethyl phthalate (aq)	<1 µg/l	TM176	<1	<1	<1	<10	2.25	<4	
Dibenzo(a,h)anthracene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Dimethyl phthalate (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
n-Dioctyl phthalate (aq)	<5 µg/l	TM176	<5	<5	<5	<50	<5	<20	
Fluoranthene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	2.84	<4	
Fluorene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	23.1	<4	
Hexachlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Hexachlorobutadiene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Pentachlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Phenol (aq)	<1 µg/l	TM176	<1	<1	<1	12.9	2.79	<4	
n-Nitroso-n-dipropylamine (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Hexachloroethane (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Nitrobenzene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Naphthalene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	6.37	7.01	
Isophorone (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Hexachlorocyclopentadiene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Phenanthrene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	10.6	<4	
Indeno(1,2,3-cd)pyrene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	<1	<4	
Pyrene (aq)	<1 µg/l	TM176	<1	<1	<1	<10	2.88	<4	



# CERTIFICATE OF ANALYSIS

Validated

SDG: 210928-28

Report Number: 615908

Superseded Report:

Client Ref.:

Location: Maendy Landfill

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	110			
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055025			
M	mCERTS accredited.					
aq	Aqueous / settled sample.					
dis.s.filt	Dissolved / filtered sample.					
tot.unfilt	Total / unfiltered sample.					
*	Subcontracted - refer to subcontractor report for accreditation status.					
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery					
(F)	Trigger breach confirmed					
1-4*§	Sample deviation (see appendix)					
Component	LOD/Units	Method				
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<1	#		
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	#		
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	#		
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	#		
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<1	#		
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<1	#		
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<1	#		
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<1	#		
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	#		
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	#		
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<1	#		
2-Chlorophenol (aq)	<1 µg/l	TM176	<1	#		
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<1	#		
2-Methylphenol (aq)	<1 µg/l	TM176	<1	#		
2-Nitroaniline (aq)	<1 µg/l	TM176	<1	#		
2-Nitrophenol (aq)	<1 µg/l	TM176	<1	#		
3-Nitroaniline (aq)	<1 µg/l	TM176	<1	#		
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<1	#		
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<1	#		
4-Chloroaniline (aq)	<1 µg/l	TM176	<1	#		
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<1	#		
4-Methylphenol (aq)	<1 µg/l	TM176	<1	#		
4-Nitroaniline (aq)	<1 µg/l	TM176	<1	#		
4-Nitrophenol (aq)	<1 µg/l	TM176	<1	#		
Azobenzene (aq)	<1 µg/l	TM176	<1	#		
Acenaphthylene (aq)	<1 µg/l	TM176	<1	#		
Acenaphthene (aq)	<1 µg/l	TM176	<1	#		
Anthracene (aq)	<1 µg/l	TM176	<1	#		
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<1	#		
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<1	#		
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	<2	#		
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<1	#		
Benzo(a)anthracene (aq)	<1 µg/l	TM176	<1	#		



CERTIFICATE OF ANALYSIS

SDG: 210928-28  
Client Ref.:

Report Number: 615908  
Location: Maendy Landfill

Superseded Report:

SVOC MS (W) - Aqueous

Table with 7 columns: Results Legend, Customer Sample Ref., and 5 unlabeled columns. Rows include various chemical components like Benzo(b)fluoranthene, Benzo(k)fluoranthene, etc., with LOD/Units and Method details.





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210928-28  
**Client Ref.:**

**Report Number:** 615908  
**Location:** Maendy Landfill

**Superseded Report:**

## VOC MS (W)

Results Legend		Customer Sample Ref.	101	102	103	104	107	108
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-4* @ Sample deviation (see appendix)		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	Ground Water (GW) 27/09/2021	Ground Water (GW) 27/09/2021	Ground Water (GW) 27/09/2021	Ground Water (GW) 27/09/2021	Ground Water (GW) 27/09/2021	Ground Water (GW) 27/09/2021
Component	LOD/Units	Method						
Dibromofluoromethane**	%	TM208	106	107	108	110	111	109
Toluene-d8**	%	TM208	99.2	99.5	98.2	94.8	97.9	98.8
4-Bromofluorobenzene**	%	TM208	102	100	100	98.2	102	101
Dichlorodifluoromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Chloromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Vinyl Chloride	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Bromomethane	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Chloroethane	<1 µg/l	TM208	<1 #	1.15 #	<1 #	20.1 #	1.48 #	<1 #
Trichlorofluoromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
1,1-Dichloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Carbon disulphide	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Dichloromethane	<3 µg/l	TM208	<3 #	<3 #	<3 #	<3 #	<3 #	<3 #
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
1,1-Dichloroethane	<1 µg/l	TM208	<1 #	1.11 #	<1 #	<1 #	2.05 #	<1 #
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
2,2-Dichloropropane	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Bromochloromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Chloroform	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
1,1,1-Trichloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
1,1-Dichloropropene	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Carbontetrachloride	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
1,2-Dichloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Benzene	<1 µg/l	TM208	<1 #	1.09 #	<1 #	609 #	83.5 #	34.2 #
Trichloroethene	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
1,2-Dichloropropane	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Dibromomethane	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Bromodichloromethane	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Toluene	<1 µg/l	TM208	<1 #	<1 #	<1 #	65.9 #	2.88 #	<1 #
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
1,1,2-Trichloroethane	<1 µg/l	TM208	<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
1,3-Dichloropropane	<1 µg/l	TM208	<1 #	2.67 #	<1 #	5.32 #	<1 #	<1 #



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210928-28

**Report Number:** 615908

**Superseded Report:**
**Client Ref.:**
**Location:** Maendy Landfill

**VOC MS (W)**

<b>Results Legend</b> # ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. dis.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed 1-4* Sample deviation (see appendix)			Customer Sample Ref.	101	102	103	104	107	108
			Depth (m)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)	Ground Water (GW)
			Sample Type	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021	27/09/2021
			Date Sampled	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021	28/09/2021
			Sample Time	210928-28	210928-28	210928-28	210928-28	210928-28	210928-28
			Date Received	25055016	25055017	25055018	25055019	25055022	25055023
			SDG Ref						
			Lab Sample No.(s)						
			AGS Reference						
Component	LOD/Units	Method							
Tetrachloroethene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
Dibromochloromethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
Chlorobenzene	<1 µg/l	TM208	<1	1.06	<1	33	<1	<1	<1
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
Ethylbenzene	<1 µg/l	TM208	<1	<1	<1	39.1	4.27	5.92	5.92
Xylene (m+p)	<1 µg/l	TM208	<1	<1	<1	640	6.35	3.54	3.54
Xylene (o)	<1 µg/l	TM208	<1	<1	<1	103	4.51	2.45	2.45
Styrene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
Bromofom	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
Isopropylbenzene	<1 µg/l	TM208	<1	<1	<1	2.38	<1	<1	<1
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
Bromobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
Propylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
2-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	10.1	<1	<1	<1
4-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
tert-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	22.5	1.16	<1	<1
sec-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
4-iso-Propyltoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
n-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
Naphthalene	<1 µg/l	TM208	<1	<1	<1	43.9	<1	8.22	8.22
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1
1,3,5-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	<1



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210928-28  
**Client Ref.:**

**Report Number:** 615908  
**Location:** Maendy Landfill

**Superseded Report:**

**VOC MS (W)**

Results Legend		Customer Sample Ref.	
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.fit Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-4*\$@ Sample deviation (see appendix)	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	110	
Component	LOD/Units	Method	
Dibromofluoromethane**	%	TM208	109
Toluene-d8**	%	TM208	98.6
4-Bromofluorobenzene**	%	TM208	101
Dichlorodifluoromethane	<1 µg/l	TM208	<1 #
Chloromethane	<1 µg/l	TM208	<1 #
Vinyl Chloride	<1 µg/l	TM208	<1 #
Bromomethane	<1 µg/l	TM208	<1 #
Chloroethane	<1 µg/l	TM208	<1 #
Trichlorofluoromethane	<1 µg/l	TM208	<1 #
1,1-Dichloroethene	<1 µg/l	TM208	<1 #
Carbon disulphide	<1 µg/l	TM208	<1 #
Dichloromethane	<3 µg/l	TM208	<3 #
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1 #
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1 #
1,1-Dichloroethane	<1 µg/l	TM208	1.47 #
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1 #
2,2-Dichloropropane	<1 µg/l	TM208	<1 #
Bromochloromethane	<1 µg/l	TM208	<1 #
Chloroform	<1 µg/l	TM208	<1 #
1,1,1-Trichloroethane	<1 µg/l	TM208	<1 #
1,1-Dichloropropene	<1 µg/l	TM208	<1 #
Carbontetrachloride	<1 µg/l	TM208	<1 #
1,2-Dichloroethane	<1 µg/l	TM208	<1 #
Benzene	<1 µg/l	TM208	<1 #
Trichloroethene	<1 µg/l	TM208	<1 #
1,2-Dichloropropane	<1 µg/l	TM208	<1 #
Dibromomethane	<1 µg/l	TM208	<1 #
Bromodichloromethane	<1 µg/l	TM208	<1 #
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1 #
Toluene	<1 µg/l	TM208	<1 #
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1 #
1,1,2-Trichloroethane	<1 µg/l	TM208	<1 #
1,3-Dichloropropane	<1 µg/l	TM208	<1 #



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210928-28

**Report Number:** 615908

**Superseded Report:**
**Client Ref.:**
**Location:** Maendy Landfill

**VOC MS (W)**

Results Legend		Customer Sample Ref.	110				
# ISO17025 accredited. M mCERTS accredited. sq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. * Subcontracted - refer to subcontractor report for accreditation status. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery. (F) Trigger breach confirmed 1-4# Sample deviation (see appendix)		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	Ground Water (GW) 27/09/2021 28/09/2021 210928-28 25055025				
Component	LOD/Units	Method					
Tetrachloroethene	<1 µg/l	TM208	<1	#			
Dibromochloromethane	<1 µg/l	TM208	<1	#			
1,2-Dibromoethane	<1 µg/l	TM208	<1	#			
Chlorobenzene	<1 µg/l	TM208	<1	#			
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	#			
Ethylbenzene	<1 µg/l	TM208	<1	#			
Xylene (m+p)	<1 µg/l	TM208	<1	#			
Xylene (o)	<1 µg/l	TM208	<1	#			
Styrene	<1 µg/l	TM208	<1	#			
Bromofom	<1 µg/l	TM208	<1	#			
Isopropylbenzene	<1 µg/l	TM208	<1	#			
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	#			
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	#			
Bromobenzene	<1 µg/l	TM208	<1	#			
Propylbenzene	<1 µg/l	TM208	<1	#			
2-Chlorotoluene	<1 µg/l	TM208	<1	#			
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	#			
4-Chlorotoluene	<1 µg/l	TM208	<1	#			
tert-Butylbenzene	<1 µg/l	TM208	<1	#			
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	#			
sec-Butylbenzene	<1 µg/l	TM208	<1	#			
4-iso-Propyltoluene	<1 µg/l	TM208	<1	#			
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	#			
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	#			
n-Butylbenzene	<1 µg/l	TM208	<1	#			
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	#			
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	#			
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	#			
Hexachlorobutadiene	<1 µg/l	TM208	<1	#			
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	#			
Naphthalene	<1 µg/l	TM208	<1	#			
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	#			
1,3,5-Trichlorobenzene	<1 µg/l	TM208	<1	#			



# CERTIFICATE OF ANALYSIS

Validated

SDG: 210928-28  
Client Ref.:

Report Number: 615908  
Location: Maendy Landfill

Superseded Report:

## Table of Results - Appendix

Method No	Reference	Description
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM197	Modified: US EPA Method 8082.EA Method 174 and 5109631	Determination of WHO12 and EC7 Polychlorinated Biphenyl Congeners by GC-MS in Waters
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC
TM343	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of Selected Pesticides (Suite I) in Liquids by GCMS
TM344	EPA 8270D - Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of selected pesticides (Suite II) by GCMS
TM411	Acid_Herbs_GCMS	Acid Herbs in Water by GCMS

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden.



# CERTIFICATE OF ANALYSIS

Validated

SDG: 210928-28  
Client Ref.:

Report Number: 615908  
Location: Maendy Landfill

Superseded Report:

## Test Completion Dates

Lab Sample No(s)	25055016	25055017	25055018	25055019	25055022	25055023	25055025
Customer Sample Ref.	101	102	103	104	107	108	110
AGS Ref.							
Depth							
Type	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water

Acid Herbicides by GCMS	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021
Dissolved Metals by ICP-MS	30-Sep-2021	30-Sep-2021	30-Sep-2021	30-Sep-2021	30-Sep-2021	30-Sep-2021	30-Sep-2021
PCB Congeners - Aqueous (W)	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021
Pesticides (Suite I) by GCMS	30-Sep-2021	30-Sep-2021	30-Sep-2021	30-Sep-2021	30-Sep-2021	30-Sep-2021	30-Sep-2021
Pesticides (Suite II) by GCMS	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021
Phenols by HPLC (W)	01-Oct-2021	01-Oct-2021	01-Oct-2021	01-Oct-2021	01-Oct-2021	01-Oct-2021	01-Oct-2021
SVOC MS (W) - Aqueous	01-Oct-2021	01-Oct-2021	01-Oct-2021	01-Oct-2021	01-Oct-2021	01-Oct-2021	01-Oct-2021
VOC MS (W)	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021	05-Oct-2021



# CERTIFICATE OF ANALYSIS

SDG: 210928-28 Client Reference: Report Number: 615908  
 Location: Maendy Landfill Order Number: 4200053189 Superseded Report:

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. For dried and crushed preparations of soils volatile loss may occur e.g volatile mercury.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17 Data retention. All records, communications and reports pertaining to the analysis are archived for seven years from the date of issue of the final report.

18. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

### 19. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
4	Matrix interference
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples
§	Sampled on date not provided

### 20. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

#### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining.

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

#### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

#### Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung.

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

**The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.**